

US00D820377S

(12) **United States Design Patent** (10) **Patent No.:** **US D820,377 S**
Boyd et al. (45) **Date of Patent:** **** Jun. 12, 2018**

(54) **RIFLE SCOPE MOUNTING RING PART
WITH MOVABLE ACCESSORY RAIL**

(71) Applicant: **Lightforce USA, Inc.**, Orofino, ID
(US)

(72) Inventors: **Pietro Boyd**, Moscow, ID (US); **Kris
Wisdom**, Orofino, ID (US)

(73) Assignee: **Lightforce USA, Inc.**, Orofino, ID (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/575,366**

(22) Filed: **Aug. 24, 2016**

Related U.S. Application Data

(62) Division of application No. 29/513,084, filed on Dec.
26, 2014, now Pat. No. Des. 768,257.

(51) **LOC (11) Cl.** **22-01**

(52) **U.S. Cl.**
USPC **D22/109**

(58) **Field of Classification Search**

USPC D22/108–109
CPC F42B 30/02; F42B 5/02; F42B 5/26; F42B
12/34; F42B 8/04; F42B 10/22; F42B
8/14; F41A 9/83; F41A 9/82; F41A 9/01;
F41A 9/09; F41A 9/86

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D250,271 S * 11/1978 Williams D22/110
4,216,600 A * 8/1980 Brueckner F41G 11/001
42/127
D403,393 S * 12/1998 Weast D22/108
D447,532 S 9/2001 Keng
6,629,381 B1 10/2003 Keng
7,908,784 B2 3/2011 Kim

D638,089 S * 5/2011 Ding D22/109
D654,552 S 2/2012 Wu et al.
D698,000 S * 1/2014 Beckett D22/109
D713,921 S * 9/2014 Williams D22/109
D715,393 S * 10/2014 Williams D22/109
D732,631 S * 6/2015 Cheng D22/109
2008/0034638 A1 * 2/2008 Spuhr F41G 11/006
42/127
2009/0038198 A1 2/2009 Yu
2012/0311909 A1 12/2012 Cheng

* cited by examiner

Primary Examiner — Michael A. Pratt

(74) *Attorney, Agent, or Firm* — Wood Herron & Evans
LLP

(57) **CLAIM**



The ornamental design for a rifle scope mounting ring part
with movable accessory rail, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of the rifle scope mounting ring
part with movable accessory rail;
FIG. 2 is a front plan view thereof;
FIG. 3 is a rear plan view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a right side plan view thereof;
FIG. 7 is a left side plan view thereof;
FIG. 8 is an isometric view with the movable accessory rail
shown in an alternate position;
FIG. 9 is a front plan view with the movable accessory rail
shown in the alternate position; and,
FIG. 10 is a top plan view with the movable accessory rail
shown in the alternate position.

The broken line showing of shown in FIGS. 1 through 10 is
included for the purpose of illustrating portions of the rifle
scope mounting ring part with movable accessory rail and
forms no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10