



US00D820754S

(12) **United States Design Patent**  
**Buffery**

(10) **Patent No.:** **US D820,754 S**  
(45) **Date of Patent:** **\*\* Jun. 19, 2018**

(54) **FRONT DOOR CASING**

**DESCRIPTION**

(71) Applicant: **Jaguar Land Rover Limited**, Whitley, Coventry (GB)

(72) Inventor: **Martin Buffery**, Coventry (GB)

(73) Assignee: **Jaguar Land Rover Limited**, Whitley, Coventry (GB)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/603,222**

(22) Filed: **May 8, 2017**

(30) **Foreign Application Priority Data**

Nov. 11, 2016 (EM) ..... 003459536-0005  
Nov. 11, 2016 (EM) ..... 003459536-0006

(51) **LOC (11) Cl.** ..... **12-16**

(52) **U.S. Cl.**  
USPC ..... **D12/195**

(58) **Field of Classification Search**  
USPC ..... D12/195.193, 414, 190, 196; D15/28,  
D15/196, 17; D10/46, 98, 102-103;  
D8/302-303

(Continued)

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D720,267 S \* 12/2014 Norman ..... D12/195  
D721,023 S \* 1/2015 Wiedeman ..... D12/195

(Continued)

*Primary Examiner* — Katrina A Betton


(74) *Attorney, Agent, or Firm* — Wood Herron & Evans LLP

(57) **CLAIM**

The ornamental design for a front door casing, as shown and described.

FIG. 1 is a front left perspective view of a front door casing for a vehicle according to the present invention.  
FIG. 2 is a front right perspective view of the front door casing shown in FIG. 1.  
FIG. 3 is a rear right perspective view thereof.  
FIG. 4 is a rear left perspective view thereof.  
FIG. 5 is a front view thereof.  
FIG. 6 is a rear view thereof.  
FIG. 7 is a left side view thereof.  
FIG. 8 is a right side view thereof.  
FIG. 9 is a top view thereof.  
FIG. 10 is a bottom view thereof.  
FIG. 11 is a front left perspective view of a front door casing for a vehicle according to a second embodiment of the present invention.  
FIG. 12 is a front right perspective view of the front door casing shown in FIG. 11.  
FIG. 13 is a front left perspective view of a front door casing for a vehicle according to a third embodiment of the present invention.  
FIG. 14 is a front right perspective view of the front door casing shown in FIG. 13.  
FIG. 15 is a rear right perspective view thereof.  
FIG. 16 is a rear left perspective view thereof.  
FIG. 17 is a front view thereof.  
FIG. 18 is a rear view thereof.  
FIG. 19 is a left side view thereof.  
FIG. 20 is a right side view thereof.  
FIG. 21 is a top view thereof.  
FIG. 22 is a bottom view thereof.  
FIG. 23 is a front left perspective view of a front door casing for a vehicle according to a fourth embodiment of the present invention; and,  
FIG. 24 is a front right perspective view of the front door casing shown in FIG. 23.  
The broken lines in FIGS. 11, 12, 23, and 24 show environmental structure, and form no part of the claimed invention.

**1 Claim, 20 Drawing Sheets**



(58) **Field of Classification Search**

CPC ..... B60J 5/04; B60N 2/466; B60N 2/4693;  
B60R 13/0243

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

|          |   |   |         |             |       |         |
|----------|---|---|---------|-------------|-------|---------|
| D722,933 | S | * | 2/2015  | Ishikawa    | ..... | D12/195 |
| D743,863 | S | * | 11/2015 | Finney      | ..... | D12/195 |
| D761,176 | S | * | 7/2016  | Sandys      | ..... | D12/195 |
| D763,757 | S | * | 8/2016  | Buffery     | ..... | D12/195 |
| D768,042 | S | * | 10/2016 | Lee         | ..... | D12/195 |
| D783,481 | S | * | 4/2017  | Yamamoto    | ..... | D12/195 |
| D784,882 | S | * | 4/2017  | Lee         | ..... | D12/195 |
| D784,883 | S | * | 4/2017  | Lee         | ..... | D12/195 |
| D801,899 | S | * | 11/2017 | Watkin      | ..... | D12/195 |
| D807,267 | S | * | 1/2018  | Higashimori | ..... | D12/195 |

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16






FIG. 17



FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22



FIG. 23




FIG. 24

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : D820,754 S  
APPLICATION NO. : 29/603222  
DATED : June 19, 2018  
INVENTOR(S) : Martin Buffery


Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

Column 2, under Description, "FIG. 17 is a front thereof" should read --FIG. 17 is a front view thereof.--.

Signed and Sealed this  
Twenty-eighth Day of August, 2018



Andrei Iancu  
*Director of the United States Patent and Trademark Office*