



US00D820777S

(12) **United States Design Patent**
Robbins

(10) **Patent No.:** **US D820,777 S**
(45) **Date of Patent:** **** Jun. 19, 2018**

- (54) **TIRE TREAD**
- (71) Applicant: **COOPER TIRE & RUBBER COMPANY**, Findlay, OH (US)
- (72) Inventor: **Bryan D. Robbins**, Findlay, OH (US)
- (73) Assignee: **COOPER TIRE & RUBBER COMPANY**, Findlay, OH (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/578,522**
- (22) Filed: **Sep. 22, 2016**
- (51) **LOC (11) Cl.** **12-15**
- (52) **U.S. Cl.**
USPC **D12/600**
- (58) **Field of Classification Search**
USPC D12/539, 540, 544, 574, 575, 579, 580, 600
D12/594, 600
CPC ... B60C 11/03; B60C 11/0306; B60C 11/0311
See application file for complete search history.

D628,958 S	12/2010	Fleckner	
D634,266 S	3/2011	Shan et al.	
D638,352 S	5/2011	Osaka	
D642,512 S	8/2011	Jacobs	
D644,597 S	9/2011	Lucas	
D682,190 S *	5/2013	Uphouse	D12/600
D683,301 S	5/2013	Kang	
D684,525 S	6/2013	Kuwano	
D687,765 S	8/2013	Kuwano et al.	
D713,329 S *	9/2014	Dixon	D12/579
D727,248 S	4/2015	Reim et al.	
D729,150 S	5/2015	Jacobs et al.	
D731,404 S	6/2015	Jacobs	
D732,467 S *	6/2015	Schimmoeller	D12/600
D736,145 S *	8/2015	Jacobs	D12/594
D736,694 S	8/2015	Jacobs	
D739,815 S	9/2015	Kim	

(Continued)

Primary Examiner — Robert M. Spear
(74) *Attorney, Agent, or Firm* — Fay Sharpe LLP

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread of the present application;
FIG. 2 is a front view thereof;
FIG. 3 is a side view thereof;
FIG. 4 is an enlarged partial perspective view thereof; and,
FIG. 5 is an enlarged partial front view thereof.
The broken lines and the region defining the inner bead and that portion of the sidewall between the broken lines form no part of the claimed tire tread design, and are included for the purpose of illustrating the full tire. The tread pattern is understood to uniformly repeat throughout the circumference of the tire. The other side view of the tire is identical to the illustrated side view.

1 Claim, 5 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

D296,684 S *	7/1988	Krupa	D12/579
D325,186 S	4/1992	Pulte, Jr.	
D365,061 S	12/1995	Lassan et al.	
D390,516 S	2/1998	Lassan et al.	
D402,935 S *	12/1998	Oliver	D12/594
D445,377 S	7/2001	Fantanzo et al.	
D495,293 S *	8/2004	Tahira	D12/600
D495,294 S	8/2004	Ochi et al.	
D514,059 S	1/2006	Dixon	
D578,059 S	10/2008	Fujita	
D578,956 S	10/2008	Dixon et al.	
D594,815 S *	6/2009	Reim	D12/579
D610,071 S	2/2010	Song	
D626,501 S	11/2010	Cazin-Bourguignon et al.	



(56)

References Cited

U.S. PATENT DOCUMENTS

D748,044 S *	1/2016	Schuessler	D12/580
D748,047 S *	1/2016	Schuessler	D12/594
D753,582 S	4/2016	Matsuda	
D754,592 S *	4/2016	Tian	D12/600
D756,903 S	5/2016	Sareen	
D763,177 S *	8/2016	Chen	D12/579
D784,918 S *	4/2017	Liu	D12/594
2014/0360641 A1 *	12/2014	Jacobs	B60C 11/1307 152/209.21

* cited by examiner



FIG. 1



FIG. 2




FIG. 3



FIG. 4




FIG. 5