



US00D821000S

(12) **United States Design Patent**
Pennewell

(10) **Patent No.:** **US D821,000 S**
(45) **Date of Patent:** **** Jun. 19, 2018**

- (54) **DRIP EDGE**
- (71) Applicant: **Roger Pennewell**, Monroe City, MO (US)
- (72) Inventor: **Roger Pennewell**, Monroe City, MO (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/554,294**
- (22) Filed: **Feb. 10, 2016**
- (51) **LOC (11) Cl.** **25-02**
- (52) **U.S. Cl.**
USPC **D25/119; D25/138**
- (58) **Field of Classification Search**
USPC D25/35, 47.1, 48.1, 48.2, 48.3, 48.4, D25/48.7, 55, 56, 58-61, 119-132, 138, D25/139, 164; 52/58, 68, 96, 97, 204.5, 52/204.53, 208, 209, 255, 254, 287.1, 52/293.3, 302.6, 443, 444, 716.1, 716.2, 52/716.6-716.8, 717.01, 717.03; D23/267
CPC E04F 19/00; E04F 19/02; E04F 19/022; E04F 19/026; E04F 19/04; E04F 19/06; E04F 19/061; E04F 13/00; E04B 2/00; E04B 7/00; E04B 5/12; E04C 3/02; E04C 3/04; E04C 3/12; E04C 3/292; E04C 2003/0404; E04C 2003/0452; E04C 2003/046; E04C 2003/0482; E04D 13/15; E04D 13/0459; E04D 1/36; E04D 13/0477; E04D 13/0481; E04D 2013/0463; E04D 2013/0468; E04D 2013/0472; E04D 2013/0486; E04D 2013/049

4,081,657 A 3/1978 Stanford
 4,254,594 A * 3/1981 Hammond E04D 13/064 52/94
 4,594,820 A 6/1986 Render
 D297,465 S * 8/1988 Nally D25/119
 5,170,597 A 12/1992 Stearns
 6,035,587 A * 3/2000 Dressler E04D 13/0459 52/97
 D569,011 S * 5/2008 Brochu D25/138
 D668,352 S * 10/2012 Field D25/119
 (Continued)

FOREIGN PATENT DOCUMENTS

CA	2108308	11/1994
WO	03044301	5/2003
WO	2006130942	12/2006

Primary Examiner — Cynthia Ramirez
Assistant Examiner — L. Martinez-Rivera
 (74) *Attorney, Agent, or Firm* — Gary E Lambert; David J. Connaughton, Jr.; Lambert & Associates

(57) **CLAIM**

The ornamental design for a drip edge, as shown and described.

DESCRIPTION


FIG. 1 is a top perspective view of the drip edge, showing my new design;
 FIG. 2 is a left side view of the drip edge;
 FIG. 3 is a right side view of the drip edge;
 FIG. 4 is a bottom plan view of the drip edge;
 FIG. 5 is a top plan view of the drip edge;
 FIG. 6 is a front elevation view of the drip edge; and,
 FIG. 7 is a rear elevation view of the drip edge.
 The drip edge is shown with a symbolic break in its length. The appearance of any portion of the drip edge between the two parallel jagged break lines forms no part of the claimed design.

1 Claim, 4 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,585,324 A * 2/1952 Hutchisson, Jr. E04D 13/15 52/96
 3,137,970 A * 6/1964 Tiernan E04D 13/15 52/630



(56)

References Cited

U.S. PATENT DOCUMENTS

8,281,521 B1 * 10/2012 Rasmussen E04D 13/0459
52/409
8,316,586 B2 11/2012 Ellingson
D679,418 S * 4/2013 Nolan D25/119
8,739,470 B1 6/2014 Wayne et al.
9,556,973 B2 * 1/2017 Rumsey E04D 13/103
9,828,774 B2 * 11/2017 Givens E04D 13/0459
2007/0074466 A1 4/2007 Rasmussen
2008/0196321 A1 8/2008 Kronemeyer
2010/0101168 A1 * 4/2010 Hohmann, Jr. E04B 1/7046
52/513
2011/0209434 A1 * 9/2011 Nark E04D 13/0459
52/745.21
2012/0233933 A1 9/2012 Rasmussen et al.
2012/0279168 A1 * 11/2012 Rasmussen E04D 13/0459
52/741.4
2012/0304578 A1 * 12/2012 Williams E04D 13/0459
52/520
2015/0259924 A1 * 9/2015 Van Biber E04D 13/0459
52/11
2017/0002568 A1 * 1/2017 Rumsey E04D 13/0459

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 5




Fig. 4




Fig. 6




Fig. 7