



US00D821141S

(12) **United States Design Patent** (10) **Patent No.:** **US D821,141 S**
Youngmann et al. (45) **Date of Patent:** **** Jun. 26, 2018**

(54) **TAMPER HOLDER**

(71) Applicant: **Vita-Mix Management Corporation**,
Olmsted Township, OH (US)

(72) Inventors: **Trevor Youngmann**, Olmsted
Township, OH (US); **Jack W. Gee, II**,
Willoughby, OH (US); **Gene**
Kozlowski, Medina, OH (US);
Phonesacksith Guy Kettavong,
Medina, OH (US); **Robin Shorr**,
Olmsted Township, OH (US)

(73) Assignee: **Vita-Mix Management Corporation**,
Olmsted Township, OH (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/574,886**

(22) Filed: **Aug. 19, 2016**

(51) **LOC (11) Cl.** **31-00**

(52) **U.S. Cl.**
USPC **D7/412; D7/376; D7/378**

(58) **Field of Classification Search**
USPC D6/556; D7/372, 376–386, 412–413,
D7/602, 629, 665–666, 669, 679,
D7/693–694; D9/424, 456; D11/148,
D11/152; D19/85
CPC A21C 1/02; A21C 1/04; A23N 1/00; A23N
1/02; A47J 43/04; A47J 43/25; A47J
43/27; A47J 43/042; A47J 43/044; A47J
43/046; A47J 43/075; A47J 43/0716;
A47J 43/0722; A47J 43/0727; A47J
47/16; B01F 3/00; B01F 3/0807; B01F
3/0853; B01F 13/0059; B01F 13/0064;
B01F 15/00; B02C 1/08; B02C 2/04;
B02C 4/42; B02C 4/142; B02C 4/143;
B02C 4/423; B02C 13/1835; B28C 5/10;
B28C 5/12; B28C 5/14; B28C 5/16
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D285,405	S	*	9/1986	Grange		D7/412
5,302,021	A	*	4/1994	Jennett		B01F 15/00
						241/30
D371,089	S	*	6/1996	Yeung		D11/143
D472,465	S	*	4/2003	Nance		D7/590
D501,886	S	*	2/2005	Chen		D19/77
7,648,264	B2	*	1/2010	Breviere		A47J 43/0716
						366/205
D691,390	S	*	10/2013	Cunningham		D6/556
D710,701	S	*	8/2014	Lai		D24/123
D730,235	S	*	5/2015	Korzeniowski		D11/148
2015/0173566	A1	*	6/2015	Kettavong		A47J 47/16
						248/37.6

* cited by examiner

Primary Examiner — Ricky Pham

(74) *Attorney, Agent, or Firm* — McDonald Hopkins LLC

(57) **CLAIM**

The ornamental design for a tamper holder, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tamper holder showing our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left-side view thereof;

FIG. 5 is a right-side view thereof;



FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof; and,

FIG. 8 is a bottom perspective view thereof.

The broken lines in the figures are included for the purpose of illustrating portions of a tamper holder or its environment and form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8