



US00D821149S

(12) **United States Design Patent**
McClellan et al.

(10) **Patent No.:** **US D821,149 S**
(45) **Date of Patent:** **** Jun. 26, 2018**

- (54) **INSULATED BEVERAGE DRINK BAG**
- (71) Applicant: **Whirley Industries, Inc.**, Warren, PA (US)
- (72) Inventors: **Ruth McClellan**, Youngsville, PA (US); **Benjamin L. Ludwig**, Ashville, NY (US); **Brad M. Bielawski**, Warren, PA (US); **Gail Grosch**, Warren, PA (US)
- (73) Assignee: **Whirley Industries, Inc.**, Warren, PA (US)
- (**) Term: **15 Years**

- D319,780 S * 9/1991 Laaki D9/707
- 5,177,660 A * 1/1993 Kilner B65D 33/00
361/212
- D383,060 S * 9/1997 Pfuhl D9/708
- D385,030 S * 10/1997 Niedospial, Jr. D24/118
- 5,843,540 A * 12/1998 Heydarpour B32B 27/32
383/10
- D406,989 S * 3/1999 Rausch D3/202
- D465,726 S 11/2002 Tet
- D532,702 S * 11/2006 Berman D9/708
- D570,709 S 6/2008 Henri, Jr.
- D597,856 S 8/2009 Sherrill et al.
- D654,372 S 2/2012 Hung
- D663,219 S 7/2012 McClellan et al.
- D667,732 S 9/2012 Glaser et al.
- D671,840 S 12/2012 McClellan et al.
- D671,841 S 12/2012 McClellan et al.

(Continued)

- (21) Appl. No.: **29/589,701**
- (22) Filed: **Jan. 4, 2017**
- (51) **LOC (11) Cl.** **07-01**
- (52) **U.S. Cl.**
USPC **D7/510**; D9/708; D9/709; D7/511
- (58) **Field of Classification Search**
USPC D7/505, 507, 509, 510, 511, 512, 523,
D7/532, 533, 536, 396.6, 387, 320, 321,
D7/300.2, 213; D3/202; D24/197, 118,
D24/207; D9/695, 698, 522, 454, 439,
D9/435, 434, 436, 707, 708, 709;
D23/266; 220/495.03, 705; 215/397,
215/396; 383/906
CPC B65D 47/066; B65D 33/00; B65D 33/16;
A47G 19/2272; A47G 19/2205; A47G
19/2266
See application file for complete search history.

Primary Examiner — Marianne Pandozzi
Assistant Examiner — Jae Liang
 (74) *Attorney, Agent, or Firm* — Buchanan Ingersoll & Rooney PC

(57) **CLAIM**


The ornamental design for an insulated beverage drink bag, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an insulated beverage drink bag in an inflated or filled state;
 FIG. 2 is a front view of FIG. 1;
 FIG. 3 is a rear view of FIG. 1;
 FIG. 4 is a left side view of FIG. 1;
 FIG. 5 is a right side view of FIG. 1;
 FIG. 6 is a top view of FIG. 1;
 FIG. 7 is a bottom view of FIG. 1;
 FIG. 8 is a perspective view of the insulated beverage drink bag in a deflated or empty state;
 FIG. 9 is a front view of FIG. 8; and,
 FIG. 10 is a rear view of FIG. 8.

- (56) **References Cited**
U.S. PATENT DOCUMENTS
D194,806 S 3/1963 Kracht
3,550,839 A * 12/1970 Clayton B29C 43/305
383/116
D301,689 S 6/1989 Fick et al.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D676,763 S * 2/2013 Kenmotsu D9/707
D694,650 S 12/2013 Bielawski et al.
D714,658 S * 10/2014 Bielawski D9/709
D721,594 S * 1/2015 Murray D9/708
2002/0110291 A1 * 8/2002 Edwards B65D 31/005
383/104
2002/0154835 A1 * 10/2002 Galomb B65D 31/10
383/10
2004/0050745 A1 * 3/2004 Lee B65D 33/00
206/524.8
2005/0147329 A1 * 7/2005 Arvizu B65B 9/08
383/104
2012/0301058 A1 * 11/2012 Goglio B65D 33/00
383/104
2017/0113861 A1 * 4/2017 Olszewski B65D 81/02

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10