



US00D821189S

(12) **United States Design Patent** (10) **Patent No.:** **US D821,189 S**
Ray (45) **Date of Patent:** **** Jun. 26, 2018**

(54) **BUFFER TUBE MOUNT**

(71) Applicant: **James Mitchell Ray**, Willis, TX (US)

(72) Inventor: **James Mitchell Ray**, Willis, TX (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/601,443**

(22) Filed: **Apr. 21, 2017**

(51) **LOC (11) Cl.** **08-08**

(52) **U.S. Cl.**
USPC **D8/396**; D22/108

(58) **Field of Classification Search**
USPC D8/367, 382, 396; D3/215, 222;
D22/108, 109

CPC F41C 33/007; F41C 33/008; F41C 33/005
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,873,902 A * 2/1959 Decker F41C 33/007
224/257
3,664,558 A * 5/1972 Tolliver et al. F41C 33/003
224/149
3,700,147 A * 10/1972 Vaughn F41C 33/005
224/149
5,014,892 A * 5/1991 Copeland A45F 5/02
224/242
5,056,696 A * 10/1991 Lahr A45F 5/02
224/148.4
5,058,788 A * 10/1991 Newmark A45F 5/00
224/198
5,182,877 A * 2/1993 Burchill A01K 97/00
206/315.11
5,511,704 A * 4/1996 Linderer A45F 5/02
224/240
D420,569 S * 2/2000 Evans D8/382
6,233,788 B1 * 5/2001 Choy A45F 5/02
224/197
6,761,294 B2 * 7/2004 Gann F41C 23/02
224/150

D495,870 S * 9/2004 Verdugo D22/108
D568,957 S * 5/2008 Esch D22/108
D612,895 S * 3/2010 Stein D21/573
D636,835 S * 4/2011 Fitzpatrick D22/108
D636,836 S * 4/2011 Fitzpatrick D22/108
D639,890 S * 6/2011 Troy, Jr. D22/108
8,166,694 B2 5/2012 Swan
D664,233 S * 7/2012 Heidkamp D22/108
D669,150 S * 10/2012 Mayberry D22/108
8,468,729 B1 * 6/2013 Sylvester F41A 3/84
42/1.01
D694,845 S * 12/2013 Satzinger D22/108
D697,160 S * 1/2014 Satzinger D22/108
D702,311 S * 4/2014 Fitzpatrick D22/108
D721,571 S * 1/2015 Roberts D22/108
D722,355 S * 2/2015 Daniel D22/108

(Continued)

OTHER PUBLICATIONS

http://www.buttonsling.com/Single_Point_Slings/Store.html.

Primary Examiner — John Windmuller

Assistant Examiner — Steven J Czyz

(74) *Attorney, Agent, or Firm* — Lightfoot & Alford
PLLC


(57) **CLAIM**

The ornamental design for a buffer tube mount, as shown
and described.

DESCRIPTION

FIG. 1 is a top perspective view of a buffer tube mount;
FIG. 2 is a left side elevation view thereof;
FIG. 3 is a right side elevation view thereof;
FIG. 4 is a rear elevation view thereof;
FIG. 5 is a front elevation view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.
The broken lines depict portions of the article that form no
part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,943,730	B2 *	2/2015	Ascano	F41C 33/007 42/94
D724,484	S	3/2015	Swan et al.	
D724,689	S *	3/2015	Sui	D22/108
D725,221	S *	3/2015	Geissele	D22/108
D731,294	S	6/2015	Swan et al.	
D753,256	S *	4/2016	Azhocar	D22/108
D753,257	S *	4/2016	Azhocar	D22/108
D782,291	S *	3/2017	Bach	D8/382
2010/0287808	A1 *	11/2010	King	F41C 23/02 42/85
2010/0314522	A1 *	12/2010	Molnar	H02B 1/052 248/346.06
2011/0258899	A1 *	10/2011	Fitzpatrick	F41C 23/06 42/71.01
2013/0276343	A1 *	10/2013	Peters	F41C 33/006 42/90
2015/0327658	A1	11/2015	Swan et al.	
2016/0076846	A1 *	3/2016	Melancon	F41A 23/16 42/94

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7