



US00D821197S

(12) **United States Design Patent** (10) **Patent No.:** **US D821,197 S**
Cook et al. (45) **Date of Patent:** **** Jun. 26, 2018**

(54) **CAP FOR A DISPENSER** 3,010,140 A 11/1961 Thomas
D208,115 S 7/1967 Carlton
(71) Applicant: **S. C. Johnson & Son, Inc.**, Racine, WI D233,898 S 12/1974 Warren
(US) D249,650 S * 9/1978 Schoenfeld D10/12
4,204,473 A * 5/1980 Dardick B25C 1/14
102/531

(72) Inventors: **Cristina M. Cook**, Milwaukee, WI (Continued)
(US); **Fei Gao**, Chicago, IL (US);
Donald J. Schumacher, Racine, WI
(US)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **S. C. Johnson & Son, Inc.**, Racine, WI EC 000072525-0001 9/2003
(US) EC 000142518-0001 3/2004
(Continued)

(**) Term: **15 Years**

OTHER PUBLICATIONS

(21) Appl. No.: **29/604,404**

U.S. Appl. No. 29/458,188, filed Jun. 17, 2013, Inventor Name:
Cook, Cristina M. et al.

(22) Filed: **May 17, 2017**

(Continued)

Related U.S. Application Data

(62) Division of application No. 29/542,006, filed on Oct.
9, 2015, now Pat. No. Des. 790,338, which is a
division of application No. 29/458,189, filed on Jun.
17, 2013, now Pat. No. Des. 746,690.

Primary Examiner — Derrick E Holland
Assistant Examiner — Janice Julia Patyk
(74) *Attorney, Agent, or Firm* — Quarles & Brady LLP

(51) **LOC (11) Cl.** **09-07**

(57) **CLAIM**

(52) **U.S. Cl.**
USPC **D9/435**

The ornamental design for a cap for a dispenser, as shown
and described.

(58) **Field of Classification Search**
USPC D1/127; D2/961, 965, 966; D3/200;
D9/435, 436, 445, 447, 503, 549, 550,
D9/558, 723-727; D21/386, 390, 437,
D21/439, 443, 445; D24/101, 102, 189;
D25/138, 139; 15/97.2, 97.3, 227;
215/200, 381, 382; 222/1, 71, 173
CPC A47L 23/02; A47L 23/04; A47L 23/05;
B65D 79/02; B67D 7/06
See application file for complete search history.

DESCRIPTION

FIG. 1 is a top, front, and left side of an ornamental design
of a cap for a dispenser, showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof, the right side
elevational view being a mirror image thereof;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.
The broken lines in the figures illustrate the portions of the
design that form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D190,785 S 6/1961 Kruck
D191,650 S 10/1961 Kruck

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

4,983,061 A 1/1991 Demarest
 D324,171 S 2/1992 Morane
 D344,276 S * 2/1994 Markusson D15/139
 D375,157 S 10/1996 Kramer
 D401,582 S * 11/1998 Gremchuck D14/210
 D402,549 S 12/1998 Nahum Albright
 D411,933 S 7/1999 Bernstein
 D412,598 S 8/1999 Gudelfin
 D414,005 S 9/1999 Lehnertz
 D417,033 S 11/1999 Sachs et al.
 D425,086 S * 5/2000 Bernadic D15/139
 D434,525 S 11/2000 Angeletta
 D436,039 S 1/2001 Moretti
 D442,861 S 5/2001 Sagel
 D446,346 S 8/2001 Angeletta
 D448,521 S 9/2001 Angeletta
 D449,524 S 10/2001 Kieras
 D452,164 S 12/2001 Bus
 D468,209 S 1/2003 Joubert
 D468,210 S 1/2003 Joubert
 6,502,513 B1 1/2003 Barnes
 D489,970 S 5/2004 Nelson et al.
 D497,038 S 10/2004 Tsai
 D507,493 S 7/2005 Nelson et al.
 D509,248 S * 9/2005 Cheng D19/69
 D517,733 S 3/2006 Tsai
 D520,678 S 5/2006 Weggelaar
 D525,130 S 7/2006 Bloc
 D535,741 S 1/2007 Stawski
 D537,359 S 2/2007 Butler et al.
 D538,473 S 3/2007 Rhoades
 D539,142 S 3/2007 Butler et al.
 D546,512 S 7/2007 Kertz
 D555,506 S 11/2007 Auer
 D571,204 S 6/2008 Sweeton
 D580,761 S 11/2008 Sweeton
 D581,789 S 12/2008 Ames et al.
 D582,272 S 12/2008 Cichy
 D582,292 S 12/2008 Short et al.
 D583,668 S 12/2008 Sweeton
 D584,836 S * 1/2009 Hakvoort D29/126
 D584,960 S 1/2009 Sherwood
 D590,712 S 4/2009 Sweeton
 D591,612 S 5/2009 Ames et al.
 D592,527 S 5/2009 Serio et al.

D595,575 S 7/2009 Cichy
 D598,283 S 8/2009 Ames et al.
 D604,610 S 11/2009 Ames et al.
 7,693,009 B2 * 4/2010 Buss G04G 9/12
 368/82
 D647,567 S 10/2011 Yuan
 D657,957 S 4/2012 Camp
 D669,759 S * 10/2012 Castilleja D8/354
 D685,081 S 6/2013 Ferguson
 D741,635 S * 10/2015 Sneve D6/716
 2001/0023877 A1 9/2001 Walters
 2006/0011660 A1 1/2006 Sandlin
 2011/0284576 A1 11/2011 Marganski et al.
 2013/0022387 A1 1/2013 Purizhansky et al.

FOREIGN PATENT DOCUMENTS

EC 000142518-0002 3/2004
 EC 000163795-0012 4/2004
 EC 000163795-0014 4/2004
 EC 000176953-0001 5/2004
 EC 000387576-0001 8/2005
 EC 000514948-0003 4/2006
 EC 000515069-0012 4/2006
 EC 000598164-0001 10/2006
 EC 000686498-0001 3/2007
 EC 000724810-0001 5/2007
 EC 000853908-0003 12/2007
 EC 000853908-0004 12/2007
 EC 001120380-0001 4/2009
 EC 001120380-0008 4/2009
 EC 001169973-0005 10/2009
 EC 001628975-0003 10/2009
 EC 001631284-0001 11/2009
 EC 001220230-0002 6/2010
 WO DM/050979 3/2000
 WO DM/064636 10/2003
 WO DM/066664 4/2005
 WO DM/073259 2/2010
 WO DM/073778 2/2010
 WO 2013/013115 1/2013

OTHER PUBLICATIONS

U.S. Appl. No. 29/525,944, filed May 5, 2015, Inventor Name:
 Cook, Cristina M. et al.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6