



US00D821270S

(12) **United States Design Patent** (10) **Patent No.:** **US D821,270 S**
Inada et al. (45) **Date of Patent:** **** Jun. 26, 2018**

(54) **ARM REST APPARATUS**

(71) Applicant: **DENSO CORPORATION**, Kariya, Aichi-pref. (JP)

(72) Inventors: **Seisho Inada**, Kariya (JP); **Hideki Okuda**, Kariya (JP); **Gen Orikasa**, Kariya (JP)

(73) Assignee: **Denso Corporation**, Kariya (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/541,355**

(22) Filed: **Oct. 2, 2015**

(30) **Foreign Application Priority Data**

Apr. 2, 2015 (JP) 2015-7537

(51) **LOC (11) Cl.** **12-12**

(52) **U.S. Cl.**
USPC **D12/133**

(58) **Field of Classification Search**

USPC D12/128–133
CPC . A61G 5/00–5/14; A61G 5/041–5/047; A61G 2005/048; A61B 2090/508; A61F 5/013; A61F 5/0102; A61H 1/0281; A61H 1/02
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|-----------|-----|---------|------------|-------|--------------------------|
| 3,457,912 | A * | 7/1969 | Clark | | A61H 1/0288 601/40 |
| 3,812,851 | A * | 5/1974 | Rodriguez | | A61M 5/52 128/877 |
| 5,263,497 | A * | 11/1993 | Grabenkort | | A61B 5/0084 128/869 |
| 5,927,815 | A * | 7/1999 | Nakamura | | F16C 11/106 248/276.1 |

(Continued)

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/541,386, filed Oct. 2, 2015 in the name of Seisho Inada et al.

(Continued)

Primary Examiner — Charles D Hanson
(74) *Attorney, Agent, or Firm* — Oliff PLC


(57) **CLAIM**

The ornamental design for an arm rest apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a front view of an arm rest apparatus of our new design;
 FIG. 2 is a rear view of the arm rest apparatus shown in FIG. 1;
 FIG. 3 is a top view of the arm rest apparatus shown in FIG. 1;
 FIG. 4 is a bottom view of the arm rest apparatus shown in FIG. 1;
 FIG. 5 is a left side view of the arm rest apparatus shown in FIG. 1;
 FIG. 6 is a right side view of the arm rest apparatus shown in FIG. 1;
 FIG. 7 is a perspective view of the arm rest apparatus shown in FIG. 1;
 FIG. 8 is a view for a reference, which shows a position relationship of the arm rest apparatus with respect to an arm;
 FIG. 9 is a view for a reference, which shows another position relationship of the arm rest apparatus with respect to an arm; and,
 FIG. 10 is a view for a reference, which shows a using state of the arm rest apparatus.
 The broken lines are included for the purpose of illustrating environment and unclaimed subject matter and form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D456,519 S * 4/2002 Lowe D24/190
6,773,071 B1 * 8/2004 Stasney A47C 7/546
248/118.3
9,486,289 B2 * 11/2016 Okuda A61B 90/60
9,661,883 B2 * 5/2017 Neale B25G 1/01
9,719,370 B2 * 8/2017 Loffredo F01D 17/105
2004/0073143 A1 * 4/2004 Bonutti A61F 5/013
601/5
2008/0294079 A1 * 11/2008 Sterling A61F 5/012
602/13
2011/0282253 A1 * 11/2011 Menon A61F 5/013
601/40
2014/0014804 A1 * 1/2014 Okuda F16M 13/04
248/550
2017/0224516 A1 * 8/2017 Bonutti A61F 5/05858

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/541,391, filed Oct. 2, 2015 in the name of Seisho Inada et al.

Design U.S. Appl. No. 29/541,377, filed Oct. 2, 2015 in the name of Seisho Inada et al.

Design U.S. Appl. No. 29/541,343, filed Oct. 2, 2015 in the name of Seisho Inada et al.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 6




FIG. 5




FIG. 7




FIG. 8




FIG. 9




FIG. 10