US00D821519S

(12) United States Design Patent

Oyler

(10) Patent No.: US D821,519 S
(45) Date of Patent: ** Jun. 26, 2018

(54) **GOLF TRAINING DEVICE**

(71) Applicant: **Golf Tailor, LLC**, Edmond, OK (US)

(72) Inventor: **Tim Oyler**, Edmond, OK (US)

(73) Assignee: **Golf Tailor, LLC**, Edmond, OK (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/602,116**

(22) Filed: **Apr. 28, 2017**

(51) **LOC (11) Cl.** **21-02**

(52) **U.S. Cl.**
USPC **D21/791**

(58) **Field of Classification Search**
USPC D21/789, 791
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D237,515 S * 11/1975 Thiel D21/680
4,027,886 A * 6/1977 Katsube A63B 69/3632 273/456

(Continued)

Primary Examiner — Mitchell I. Siegel
(74) *Attorney, Agent, or Firm* — Caesar Rivise, PC

(57) **CLAIM**

The ornamental design for the golf training device, as shown and described.

DESCRIPTION

FIG. **1** is a front isometric view of a golf training device showing my new design, shown with a slidable canister in an upper-shaft position;

FIG. **2** is a front, elevation view of the golf training device of FIG. **1**, shown with the slidable canister in the upper-shaft position;

FIG. **3** is a rear, elevation view of the golf training device of FIG. **1**, shown with the slidable canister in the upper-shaft position;

FIG. **4** is a left side elevation view of the golf training device of FIG. **1**, shown with the slidable canister in the upper-shaft position;

FIG. **5** is a right side elevation view of the golf training device of FIG. **1**, shown with the slidable canister in the upper-shaft position;

FIG. **6** is a top, plan view of the golf training device of FIG. **1**, shown with the slidable canister in the upper-shaft position;

FIG. **7** is bottom plan view of a set of golf training device of FIG. **1**, shown with the slidable canister in the upper-shaft position;

FIG. **8** is a front isometric view of the golf training device of FIG. **1**, shown with a slidable canister in a lower-shaft position;

FIG. **9** is a front, elevation view of the golf training device of FIG. **1**, shown with the slidable canister in the lower-shaft position;

FIG. **10** is a rear, elevation view of the golf training device of FIG. **1**, shown with the slidable canister in the lower-shaft position;

FIG. **11** is a left side elevation view of the golf training device of FIG. **1**, shown with the slidable canister in the lower-shaft position;

FIG. **12** is a right side elevation view of the golf training device of FIG. **1**, shown with the slidable canister in the lower-shaft position;

FIG. **13** is a top, plan view of the golf training device of FIG. **1**, shown with the slidable canister in the lower-shaft position;

FIG. **14** is bottom plan view of a set of golf training device of FIG. **1**, shown with the slidable canister in the lower-shaft position;

FIG. **15** is a front isometric view of a golf training device, shown with a sliding canister in an upper-shaft position, shown with an alternative unclaimed handle;

FIG. **16** is a front, elevation view of the golf training device of FIG. **15**, shown with the slidable canister in the upper-shaft position;

(Continued)

FIG. **17** is a rear, elevation view of the golf training device of FIG. **15**, shown with the slidable canister in the upper-shaft position;

FIG. **18** is a left side elevation view of the golf training device of FIG. **15**, shown with the slidable canister in the upper-shaft position;

FIG. **19** is a right side elevation view of the golf training device of FIG. **15**, shown with the slidable canister in the upper-shaft position;

FIG. **20** is a top, plan view of the golf training device of FIG. **15**, shown with the slidable canister in the upper-shaft position;

FIG. **21** is bottom plan view of a set of golf training device of FIG. **15**, shown with the slidable canister in the upper-shaft position;

FIG. **22** is a front isometric view of the golf training device of FIG. **15**, shown with a slidable canister in a lower-shaft position;

FIG. **23** is a front, elevation view of the golf training device of FIG. **15**, shown with the slidable canister in the lower-shaft position;

FIG. **24** is a rear, elevation view of the golf training device of FIG. **15**, shown with the slidable canister in the lower-shaft position;

FIG. **25** is a left side elevation view of the golf training device of FIG. **15**, shown with the slidable canister in the lower-shaft position;

FIG. **26** is a right side elevation view of the golf training device of FIG. **15**, shown with the slidable canister in the lower-shaft position;

FIG. **27** is a top, plan view of the golf training device of FIG. **15**, shown with the slidable canister in the lower-shaft position; and,

FIG. **28** is bottom plan view of a set of golf training device of FIG. **15**, shown with the slidable canister in the lower-shaft position.

The broken line showing is included for the purpose of illustrating environmental structure and forms no part of the claimed design.

1 Claim, 16 Drawing Sheets

(58) **Field of Classification Search**
CPC A63B 69/36; A63B 69/3638; A63B 60/04; A63B 15/005; A63B 69/3623
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,664,388	A *	5/1987	Huber	A63B 67/20	273/DIG. 20
D326,493	S *	5/1992	Perry	D21/791	
D329,268	S *	9/1992	Perry	D21/791	
5,360,209	A *	11/1994	Mollica	A63B 15/005	473/457
D404,097	S *	1/1999	Tyner	D21/725	
D405,859	S *	2/1999	Thompson	D21/791	
D417,479	S *	12/1999	Mechals, Jr.	D21/791	
D426,607	S *	6/2000	Wurster	D21/791	
D432,613	S *	10/2000	Lewallen, Jr.	D21/791	
D457,929	S *	5/2002	Ciesar	D21/725	
D485,325	S *	1/2004	Rohan-Weaver	D21/789	
D486,198	S *	2/2004	Rohan-Weaver	D21/791	
D490,492	S *	5/2004	Nemeckay	D21/791	
6,955,610	B1 *	10/2005	Czaja	A63B 15/005	473/220
D603,924	S *	11/2009	Troutman	D21/791	
D627,414	S *	11/2010	Masuda	D21/725	
D640,764	S *	6/2011	Ikeda	D21/791	
8,540,584	B1 *	9/2013	Sorenson	A63B 69/36	473/256
D769,390	S *	10/2016	Wang	D21/791	
D808,483	S *	1/2018	Wang	D21/791	
D808,484	S *	1/2018	Oyler	D21/791	

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8



FIG. 9



FIG. 10



FIG. 11



FIG. 12



FIG. 13



FIG. 14



FIG. 15



FIG. 16



FIG. 17



FIG. 18



FIG. 19



FIG. 20



FIG. 21



FIG. 22



FIG. 23



FIG. 24



FIG. 25



FIG. 26



FIG. 27



FIG. 28