



US00D821717S

(12) **United States Design Patent**
Howe

(10) **Patent No.:** **US D821,717 S**

(45) **Date of Patent:** **** Jul. 3, 2018**

(54) **SOLE STRUCTURE**

(71) Applicant: **Under Armour, Inc.**, Baltimore, MD (US)

(72) Inventor: **Justin Howe**, Baltimore, MD (US)

(73) Assignee: **UNDER ARMOUR, INC.**, Baltimore, MD (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/577,292**

(22) Filed: **Sep. 12, 2016**

(51) **LOC (11) Cl.** **02-04**

(52) **U.S. Cl.**
USPC **D2/957**; D2/951; D2/954

(58) **Field of Classification Search**
USPC D2/902, 906, 908, 916, 918, 925, D2/946-962, 977; 36/3 B, 22 R, 24.5, 36/25 R, 28, 32 R, 34 R, 59 C, 67 A, 103
CPC A43B 13/00; A43B 13/02; A43B 13/023; A43B 13/026; A43B 13/04; A43B 13/08; A43B 13/10; A43B 13/12; A43B 13/14; A43B 13/141; A43B 13/143; A43B 13/16; A43B 13/18; A43B 13/181; A43B 13/187; A43B 13/189; A43B 13/20; A43B 13/22; A43B 13/223; A43B 13/24; A43B 13/28; A43B 13/30; A43B 13/32; A43B 13/34; A43B 13/36
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D273,631 S *	5/1984	Ueda	D2/908
D281,542 S *	12/1985	Iwakata	D2/953
D303,316 S *	9/1989	Crowley	D2/955
D326,767 S *	6/1992	Martiniano de Oliveira, Jr.	D2/947
D569,594 S *	5/2008	Horne	D2/953

D640,044 S *	6/2011	Badegruber	D2/951
8,424,223 B2 *	4/2013	Jara	A43B 1/0009 36/59 C
D707,929 S *	7/2014	Feeney	D2/951
D724,295 S *	3/2015	Dodge	D2/951
D724,296 S *	3/2015	Law	D2/951
D734,931 S *	7/2015	McCourt	D2/951
D746,563 S *	1/2016	Dombrow	D2/951
D752,326 S *	3/2016	Bacon	D2/951
D756,092 S *	5/2016	McCourt	D2/951
D759,359 S *	6/2016	Dombrow	D2/951
D759,361 S *	6/2016	Robinson, Jr.	D2/951
D766,558 S *	9/2016	Weddle	D2/951
D771,362 S *	11/2016	Dombrow	D2/951
D778,559 S *	2/2017	Dombrow	D2/951

(Continued)

Primary Examiner — T. Chase Nelson

(74) *Attorney, Agent, or Firm* — Edell, Shapiro & Finnan, LLC

(57) **CLAIM**


The ornamental design for a sole structure, as shown and described.

DESCRIPTION

FIG. 1 is a bottom and front view in perspective of a sole structure showing my new design; FIG. 2 is a bottom and rear view in perspective thereof; FIG. 3 is a top view in plan thereof; FIG. 4 is a bottom view in plan thereof; FIG. 5 is a lateral side view in elevation thereof; FIG. 6 is a medial side view in elevation thereof; FIG. 7 is a front view in elevation thereof; and, FIG. 8 is a rear view in elevation thereof.

The sole structure illustrated is a first embodiment showing a right-footed form of the sole structure. A second embodiment of the sole structure is for the left-footed form of the sole structure, which is a mirror image of the right-footed form, is not illustrated. The broken line illustration of environmental structure in FIGS. 3, 5 and 8 is not part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D785,305 S * 5/2017 Adam D2/951
D791,452 S * 7/2017 Dombrow D2/947
9,693,604 B2 * 7/2017 Cin A43B 17/003
D793,686 S * 8/2017 Bacon D2/947
D794,296 S * 8/2017 Lee D2/947
D797,423 S * 9/2017 Bischoff D2/951
2011/0247243 A1 * 10/2011 Eder A43B 13/26
36/67 A
2016/0198793 A1 * 7/2016 Dombrow A43B 13/187
36/28
2016/0255911 A1 * 9/2016 Fujita A43B 13/125

* cited by examiner





FIG.1






FIG.3




FIG.4




FIG. 5




FIG. 6




FIG. 7




FIG. 8