



US00D821987S

(12) **United States Design Patent**
Takebayashi et al.

(10) **Patent No.:** **US D821,987 S**
(45) **Date of Patent:** **** Jul. 3, 2018**

- (54) **FLEXIBLE PRINTED CIRCUITS**
- (71) Applicant: **NGK Insulators, Ltd.**, Nagoya-Shi (JP)
- (72) Inventors: **Hiroshi Takebayashi**, Nagoya (JP);
Rishun Kin, Nagoya (JP)
- (73) Assignee: **NGK Insulators, Ltd.**, Nagoya (JP)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/581,609**
- (22) Filed: **Oct. 20, 2016**

- 6,381,143 B1 * 4/2002 Nakamura B29C 65/08
235/492
- 6,410,355 B1 * 6/2002 Wallace G11C 5/04
257/678
- D459,706 S * 7/2002 Ebihara D13/182
- D465,772 S * 11/2002 Poulter D13/182
- D466,093 S * 11/2002 Ebihara D13/182
- D471,167 S * 3/2003 Ebihara D13/182
- 7,094,633 B2 * 8/2006 Takiar G06K 19/077
257/E21.504
- D529,031 S * 9/2006 Huang D13/182
- D537,081 S * 2/2007 Takiar D14/436
- D538,286 S * 3/2007 Takiar D14/436
- D548,201 S * 8/2007 Jones D13/182
- 7,306,161 B2 * 12/2007 Takiar G06K 13/0825
235/441

(30) **Foreign Application Priority Data**

Apr. 27, 2016 (JP) 2016-009275

(51) **LOC (11) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/182**

(58) **Field of Classification Search**
USPC D13/182; 361/748, 752, 760, 761, 807,
361/749, 764, 736, 720, 722, 750, 762,
361/763, 751; 174/250, 253, 255, 68.1,
174/256, 257; 363/144, 147; 700/22;
318/567, 568.1

CPC H05K 3/284; H05K 3/30; H05K 3/301;
H05K 3/303; H05K 1/18; H05K 1/181;
H05K 1/182; H05K 1/183; H05K 1/185;
H05K 1/00; H05K 1/02; H05K 1/0213;
H05K 1/0284; H05K 1/0286; H05K
1/0287; H05K 1/11; H05K 1/189; H05K
7/1417; H05K 7/02; H05K 7/12; H05K
7/06; H05K 7/00; H05K 2201/05; H05K
2201/057; H05K 2201/09018; H01L
2924/14

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D427,159 S * 6/2000 Oba D13/182
- D429,704 S * 8/2000 Kang D13/182

(Continued)

Primary Examiner — Elizabeth J Oswecki
(74) *Attorney, Agent, or Firm* — Burr & Brown, PLLC

(57) **CLAIM**



The ornamental design for a flexible printed circuit, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a flexible printed circuit showing our new design;
FIG. 2 is a rear view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a bottom view thereof;
FIG. 5 is a right view thereof;
FIG. 6 is a left view thereof; and,
FIG. 7 is an enlarged portion view taken along line 7-7 of FIG. 1.

The broken lines in the drawings depict unclaimed subject matter only and form no part of the claimed design.
The dashed-dot lines in the drawings depict a boundary between the claimed design and the unclaimed subject matter and form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

7,307,848	B2 *	12/2007	Takiar	G06K 19/077 361/736
D601,978	S *	10/2009	Matsuba	D13/182
D605,613	S *	12/2009	Carter	D13/182
7,864,540	B2 *	1/2011	Takiar	G06K 19/04 361/736
D637,566	S *	5/2011	Cleghorn	D13/182
D669,478	S *	10/2012	Lepp	D14/436
D669,479	S *	10/2012	Lepp	D14/436
8,649,820	B2 *	2/2014	Schwandt	G06K 19/07732 455/557
D716,743	S *	11/2014	Hu	D13/182
D753,073	S *	4/2016	Sponring	D13/182
D757,666	S *	5/2016	Yokoo	D13/182
D764,424	S *	8/2016	Matsumoto	D13/182
D778,850	S *	2/2017	Matsumoto	D13/182
D778,851	S *	2/2017	Matsumoto	D13/182
D778,852	S *	2/2017	Matsumoto	D13/182
D787,456	S *	5/2017	Matsumoto	D13/182
D787,457	S *	5/2017	Matsumoto	D13/182
D798,251	S *	9/2017	Li	D13/182

* cited by examiner

Fig. 1




Fig. 2




Fig. 3

=====

Fig. 4




Fig. 5




Fig. 6




Fig. 7

