

US00D822005S

(12) **United States Design Patent**
Goltche

(10) **Patent No.:** **US D822,005 S**
(45) **Date of Patent:** **** Jul. 3, 2018**

(54) **COMBINATION SIREN CONTROLLER AND MICROPHONE**

FOREIGN PATENT DOCUMENTS

CN 304145653 * 5/2017

(71) Applicant: **Yehuda Goltche**, Great Neck, NY (US)

(72) Inventor: **Yehuda Goltche**, Great Neck, NY (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/607,885**

(22) Filed: **Jun. 16, 2017**

(51) **LOC (11) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/218**

(58) **Field of Classification Search**
USPC D14/218, 225, 204–206, 454; D13/168;
D10/49; D21/333
CPC H04R 1/083; G06F 1/1628; G06F 3/01;
G06F 3/16
See application file for complete search history.

OTHER PUBLICATIONS

Feniex Typhoon Handheld Siren—FEN-C-5017 | Ultra Bright Lightz, website 2018, <https://www.ultrabrightlightz.com/feniex-typhoon-handheld-siren/>, site visited Mar. 26, 2018 (Year: 2018).*

(Continued)

Primary Examiner — Eric L Goodman

Assistant Examiner — John R Yeh

(74) *Attorney, Agent, or Firm* — Dunlap Bennett & Ludwig PLLC

(57) **CLAIM**

The ornamental design for a combination siren controller and microphone, as shown and described.

(56) **References Cited**

U.S. PATENT DOCUMENTS


D206,443 S *	12/1966	Cappucci	D14/218
D271,201 S *	11/1983	Nordberg	D13/168
D388,094 S *	12/1997	Tokiyama	D14/204
D408,414 S *	4/1999	Stead	D14/219
D416,912 S *	11/1999	Hsieh	D14/225
6,529,450 B1 *	3/2003	Sheffield	G11B 19/16 369/25.01
D629,794 S *	12/2010	Aarrestad	D14/225
D640,240 S *	6/2011	McManigal	D14/218
D645,848 S *	9/2011	Arnholt	D14/218
8,073,178 B2 *	12/2011	Tsao	H04R 1/083 381/355
D697,057 S *	1/2014	Kwon	D14/218
D713,820 S *	9/2014	O'Neil	D14/218
D714,761 S *	10/2014	O'Neil	D14/218
D714,762 S *	10/2014	O'Neil	D14/218
D723,521 S *	3/2015	Chen	D14/218
D733,100 S *	6/2015	Kim	D14/218
D754,106 S *	4/2016	Wise	D14/225

(Continued)

DESCRIPTION

FIG. 1 is a top front perspective view of a combination siren controller and microphone, showing my new design; FIG. 2 is a front elevation view thereof; FIG. 3 is a rear elevation view thereof; FIG. 4 is a right side elevation view thereof; FIG. 5 is a left side elevation view thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a bottom plan view thereof. The broken lines showing a cord and a rectangular connector interconnecting the cord and the combination siren controller and microphone depicts environmental subject matter that forms no part of the claimed design, while the remaining broken lines shown in the drawings depict portions of the combination siren controller and microphone that form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D760,198 S * 6/2016 Kim D14/218
D772,202 S * 11/2016 Choe D14/218
D791,107 S * 7/2017 Goltche D14/225
D793,364 S * 8/2017 Deyaf D10/49
D807,834 S * 1/2018 Zheng D13/168
2017/0171653 A1* 6/2017 Epping H04R 1/08
2017/0353803 A1* 12/2017 Ding H04R 1/04

OTHER PUBLICATIONS

Vireo 100 Watt Siren—S-V100 | SpeedTech Lights, website 2016, <https://www.speedtechlights.com/police-sirens/vireo-100-watt-hands-free-siren>, site visited Mar. 26, 2018 (Year: 2016).*

Emergency Siren and speaker, website 2017, [https://www.ledequipped.com/B-36/?gclid=Cj0KCQjwtOLVBRCZARIsADPLtJ2ZjJShiua . . .](https://www.ledequipped.com/B-36/?gclid=Cj0KCQjwtOLVBRCZARIsADPLtJ2ZjJShiua...), site visited Mar. 26, 2018 (Year: 2017).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7