



US00D822273S

(12) **United States Design Patent**  
**Bagai**

(10) **Patent No.:** **US D822,273 S**  
(45) **Date of Patent:** **\*\* Jul. 3, 2018**

(54) **ELECTRONIC VAPING DEVICE WITH  
RESPONSE DRAW LIGHTING**

**DESCRIPTION**

(71) Applicant: **Fontem Holdings 1 B.V.**, Amsterdam  
(NL)

(72) Inventor: **Hitesh Bagai**, Bristol (GB)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/598,764**

(22) Filed: **Mar. 28, 2017**

(30) **Foreign Application Priority Data**

Sep. 30, 2016 (EP) ..... 003401173

(51) **LOC (11) Cl.** ..... **27-07**

(52) **U.S. Cl.**  
USPC ..... **D27/194**

(58) **Field of Classification Search**  
USPC ..... D27/100, 101, 162-170, 172-195;  
D19/184, 199, 203

(Continued)

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D171,841 S \* 3/1954 Cox ..... 131/175  
D438,903 S \* 3/2001 Rosenbaum ..... D19/199

(Continued)

**OTHER PUBLICATIONS**

Blu MAX e-Cigarette by Convenience Store News dated 2018.  
found online [Jan. 11, 2017] <https://csnews.com/blu-max-e-ciga-rette>.\*

*Primary Examiner* — Robert M. Spear

*Assistant Examiner* — Marissa J Cash

(74) *Attorney, Agent, or Firm* — Dykema Gossett PLLC

(57) **CLAIM**

The ornamental design for electronic vaping device with  
response draw lighting, as shown and described.

FIG. 1 is a top plan view of a first embodiment of electronic  
vaping device with response draw lighting, including a  
triangle-patterned, translucent, illuminable portion, depicted  
in an unilluminated state.

FIG. 2 is a top plan view of the first embodiment of  
electronic vaping device with response draw lighting,  
depicted in a first state of illumination.

FIG. 3 is a top plan view of the first embodiment of  
electronic vaping device with response draw lighting,  
depicted in a second state of illumination.

FIG. 4 is a top plan view of the first embodiment of  
electronic vaping device with response draw lighting,  
depicted in a third state of illumination.

FIG. 5 is a top plan view of the first embodiment of  
electronic vaping device with response draw lighting,  
depicted in a fourth state of illumination.

FIG. 6 is a top plan view of the first embodiment of  
electronic vaping device with response draw lighting,  
depicted in a fifth state of illumination.

FIG. 7 is a top plan view of the first embodiment of  
electronic vaping device with response draw lighting,  
depicted in a fully-illuminated state.

FIG. 8 is a top plan view of a second embodiment of  
electronic vaping device with response draw lighting,  
including a circular-patterned, translucent, illuminable por-  
tion, depicted in an unilluminated state.

FIG. 9 is a top plan view of the second embodiment of  
electronic vaping device with response draw lighting,  
depicted in a first state of illumination.

FIG. 10 is a top plan view of the second embodiment of  
electronic vaping device with response draw lighting,  
depicted in a second state of illumination.

FIG. 11 is a top plan view of the second embodiment of  
electronic vaping device with response draw lighting,  
depicted in a third state of illumination.

FIG. 12 is a top plan view of the second embodiment of  
electronic vaping device with response draw lighting,  
depicted in a fourth state of illumination.

FIG. 13 is a top plan view of the second embodiment of  
electronic vaping device with response draw lighting,  
depicted in a fifth state of illumination.

(Continued)





FIG. 14 is a top plan view of the second embodiment of electronic vaping device with response draw lighting, depicted in a fully-illuminated state.

FIG. 15 is a top plan view of a third embodiment of electronic vaping device with response draw lighting, including a rectangle-patterned, translucent, illuminable portion, depicted in an unilluminated state.

FIG. 16 is a top plan view of the third embodiment of electronic vaping device with response draw lighting, depicted in a first state of illumination.

FIG. 17 is a top plan view of the third embodiment of electronic vaping device with response draw lighting, depicted in a second state of illumination.

FIG. 18 is a top plan view of the third embodiment of electronic vaping device with response draw lighting, depicted in a third state of illumination.

FIG. 19 is a top plan view of the third embodiment of electronic vaping device with response draw lighting, depicted in a fourth state of illumination.

FIG. 20 is a top plan view of the third embodiment of electronic vaping device with response draw lighting, depicted in a fifth state of illumination.

FIG. 21 is a top plan view of the third embodiment of electronic vaping device with response draw lighting, depicted in a fully-illuminated state.

FIG. 22 is a top plan view of a fourth embodiment of electronic vaping device with response draw lighting, including a diamond-patterned, translucent, illuminable portion, depicted in an unilluminated state.

FIG. 23 is a top plan view of the fourth embodiment of electronic vaping device with response draw lighting, depicted in a first state of illumination.

FIG. 24 is a top plan view of the fourth embodiment of electronic vaping device with response draw lighting, depicted in a second state of illumination.

FIG. 25 is a top plan view of the fourth embodiment of electronic vaping device with response draw lighting, depicted in a third state of illumination.

FIG. 26 is a top plan view of the fourth embodiment of electronic vaping device with response draw lighting, depicted in a fourth state of illumination.

FIG. 27 is a top plan view of the fourth embodiment of electronic vaping device with response draw lighting, depicted in a fifth state of illumination.

FIG. 28 is a top plan view of the fourth embodiment of electronic vaping device with response draw lighting, depicted in a fully-illuminated state.

FIG. 29 is a top plan view of a fifth embodiment of electronic vaping device with response draw lighting, including a pentagon-patterned, translucent, illuminable portion, depicted in an unilluminated state.

FIG. 30 is a top plan view of the fifth embodiment of electronic vaping device with response draw lighting, depicted in a first state of illumination.

FIG. 31 is a top plan view of the fifth embodiment of electronic vaping device with response draw lighting, depicted in a second state of illumination.

FIG. 32 is a top plan view of the fifth embodiment of electronic vaping device with response draw lighting, depicted in a third state of illumination.

FIG. 33 is a top plan view of the fifth embodiment of electronic vaping device with response draw lighting, depicted in a fourth state of illumination.

FIG. 34 is a top plan view of the fifth embodiment of electronic vaping device with response draw lighting, depicted in a fifth state of illumination; and,

FIG. 35 is a top plan view of the fifth embodiment of electronic vaping device with response draw lighting, depicted in a fully-illuminated state.

The broken lines in the drawings depict environmental subject matter only and form no part of the claimed design. The claim is limited to the geometric elements shown in solid line, and not to the surrounding body of the vaping device.

In each embodiment, the appearance of the response draw lighting for an electronic vaping device transitions between the various depicted states of illumination (see, for example, FIGS. 1-7, FIGS. 8-14, FIGS. 15-21, FIGS. 22-28, and FIGS. 29-35, respectively).

The claimed elements shown in white illustrate unilluminated portions and claimed elements shown in full black illustrate illuminated portions.

**1 Claim, 20 Drawing Sheets**

(58) **Field of Classification Search**

CPC ..... A24F 1/30; A24F 47/002; A24F 9/14  
See application file for complete search history.

(56) **References Cited**


U.S. PATENT DOCUMENTS

D445,132	S	*	7/2001	Saito	.....	D19/199
D484,912	S	*	1/2004	Briggl	.....	D19/199
D623,351	S	*	9/2010	Kirkeby	.....	D27/101
D628,635	S	*	12/2010	Li	.....	D19/184
D633,035	S	*	2/2011	Heine	.....	D13/103
D666,355	S	*	8/2012	Alelov	.....	D27/101
D682,276	S	*	5/2013	Nakata	.....	D14/411
D692,612	S	*	10/2013	Lowenthal	.....	D13/103
D707,294	S	*	6/2014	Casciotti	.....	D19/199
D725,113	S	*	3/2015	Roskopp	.....	D14/411
D743,097	S	*	11/2015	Tucker	.....	D27/101
D748,852	S	*	2/2016	Wu	.....	D27/101
D749,260	S	*	2/2016	Wu	.....	D27/101
D762,776	S	*	8/2016	Laemle	.....	D19/199
D770,086	S	*	10/2016	Tucker	.....	D27/101
D770,676	S	*	11/2016	Bennett	.....	D27/101
D779,720	S	*	2/2017	Hearn	.....	D27/101
D785,234	S	*	4/2017	Liu	.....	D27/167
D790,126	S	*	6/2017	Bennett	.....	D27/101
D796,112	S	*	8/2017	Lafferty	.....	D27/101
D797,368	S	*	9/2017	Rockferry	.....	D27/101
D797,369	S	*	9/2017	Yamada	.....	D27/101
D799,112	S	*	10/2017	Qiu	.....	D27/101
D800,383	S	*	10/2017	Verleur	.....	D27/167
D802,207	S	*	11/2017	Bramley	.....	D27/170
D802,839	S	*	11/2017	Scott	.....	D27/194
D803,475	S	*	11/2017	Scheiber	.....	D27/101
D804,090	S	*	11/2017	Verleur	.....	D27/101
D804,091	S	*	11/2017	Fornarelli	.....	D27/101
2008/0149118	A1	*	6/2008	Oglesby	.....	A61M 11/047 131/194
2008/0271744	A1	*	11/2008	Danforth	.....	A24F 1/28 131/270
2012/0073586	A1	*	3/2012	Shengelia	.....	A24F 1/28 131/185
2014/0345632	A1	*	11/2014	Scatterday	.....	A24F 47/008 131/329


\* cited by examiner




FIG. 1




**FIG. 2**



**FIG. 3**




**FIG. 4**




**FIG. 5**







**FIG. 6**




**FIG. 7**



**FIG. 8**




**FIG. 9**




**FIG. 10**







**FIG. 11**




**FIG. 12**




**FIG. 13**




**FIG. 14**



**FIG. 15**




**FIG. 16**




**FIG. 17**







**FIG. 18**



**FIG. 19**



**FIG. 20**



**FIG. 21**





FIG. 22




**FIG. 23**




**FIG. 24**







**FIG. 25**



**FIG. 26**



**FIG. 27**



**FIG. 28**






FIG. 29




**FIG. 30**




**FIG. 31**







**FIG. 32**



**FIG. 33**



**FIG. 34**



**FIG. 35**