



US00D822675S

(12) **United States Design Patent**
Zhu

(10) **Patent No.:** **US D822,675 S**
(45) **Date of Patent:** **** Jul. 10, 2018**

(54) **KEYBOARD WITH A TABLET PROTECTIVE CASE**

(71) Applicant: **Dongguan Bluefinger Electronics Co., Limited**, Dongguan (CN)

(72) Inventor: **Dajun Zhu**, Dongguan (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/636,445**

(22) Filed: **Feb. 8, 2018**

(51) **LOC (11) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/455**

(58) **Field of Classification Search**
USPC D14/240, 315, 391-399, 443, 455, 456, D14/433; 206/45.23, 320, 45.2; 200/5 A, 200/5 R, 6 A, 6 R; 361/679.08, 679.09, 361/679.55, 679.59, 679.17, 679.44, 361/679.41, 679.01, 679.26
CPC G06F 1/162; G06F 1/1683; G06F 1/1624; G06F 1/1628; G06F 1/1632; G06F 1/1616; F16M 11/04; F16M 11/041; B60R 11/02; B60R 11/0241; B60R 11/0258; B60R 11/0252; A45F 5/021; A45F 2005/025; H04M 1/00; H04M 1/04; H04M 1/06; H04M 1/11; H04B 1/3877; H04B 1/3888

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D624,911 S * 10/2010 Lee D14/315
D674,399 S * 1/2013 Welch D14/455
D675,625 S * 2/2013 Hasbrook D14/440
D712,413 S * 9/2014 Fukai D14/440
8,922,982 B1 * 12/2014 Chen F16M 11/10
361/679.08
D721,081 S * 1/2015 Hirst D14/440
D730,915 S * 6/2015 Lee D14/455

D733,150 S * 6/2015 Sirichai D14/440
9,348,366 B2 * 5/2016 Fathollahi G06F 1/1628
D779,494 S * 2/2017 Hallier D14/252
D781,282 S * 3/2017 Hsu D14/315
D787,500 S * 5/2017 Akana D14/315
D790,552 S * 6/2017 Zhang D14/440
D792,412 S * 7/2017 Zhang D14/440

(Continued)

Primary Examiner — Lakiya G Rogers

Assistant Examiner — Harold E Blackwell, II

(74) *Attorney, Agent, or Firm* — Karthik Murthy; Murthy Patent Law PLLC

(57) **CLAIM**

The ornamental design for a keyboard with a tablet protective case, as shown and described.

DESCRIPTION

FIG. 1 is a front side view of a keyboard with a tablet protective case showing my new design, shown in a closed position;
FIG. 2 is a top side while closed view thereof;
FIG. 3 is a right side while closed view thereof;
FIG. 4 is a bottom side while closed view thereof;
FIG. 5 is a rear side while closed view thereof;
FIG. 6 is a left side while closed view thereof;
FIG. 7 is a front side view of the design shown in FIG. 1, shown in an open position;
FIG. 8 is a bottom side view thereof;
FIG. 9 is a right side view thereof;
FIG. 10 is a top side view thereof;
FIG. 11 is a rear side view thereof;
FIG. 12 is a left side view thereof;
FIG. 13 is a front side view of the design in FIG. 1, shown in an open at 360 degrees position;
FIG. 14 is a bottom side view thereof;
FIG. 15 is a right side view thereof;
FIG. 16 is a top side view thereof;
FIG. 17 is a rear side view thereof; and,
FIG. 18 is a left side view thereof.

1 Claim, 18 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D792,885 S *	7/2017	Zhang	D14/440
D792,887 S *	7/2017	Zhang	D14/440
9,715,254 B2 *	7/2017	Mori	G06F 1/1662
D795,879 S *	8/2017	Hunter	D14/440
D795,881 S *	8/2017	Akana	D14/440
D807,363 S *	1/2018	Hallier	D14/440
D807,892 S *	1/2018	Wang	D14/440
2012/0103855 A1 *	5/2012	Gaddis, II	G06F 1/1628
			206/521
2016/0187937 A1 *	6/2016	Ahee	G06F 1/1681
			361/679.09

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7




FIG. 8



FIG. 9




FIG. 10




FIG. 11



FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18