



US00D822733S

(12) **United States Design Patent**  
**Deivasigamani et al.**

(10) **Patent No.:** **US D822,733 S**  
(45) **Date of Patent:** **\*\* Jul. 10, 2018**

(54) **CONDENSATE NEUTRALIZER DEVICE**

5,375,586 A \* 12/1994 Schumacher ..... F24H 8/006  
126/110 R  
D494,988 S \* 8/2004 Tanaka ..... D15/122  
D678,373 S \* 3/2013 Kita ..... D15/144.2  
D703,715 S \* 4/2014 Kita ..... D15/144  
D803,286 S \* 11/2017 Egami ..... D15/148

(71) Applicants: **Sridhar Deivasigamani**, Peoria, IL  
(US); **Sivaprasad Akasam**, Dunlap, IL  
(US); **Miguel Gonzales**, Princeville, IL  
(US)

(Continued)

(72) Inventors: **Sridhar Deivasigamani**, Peoria, IL  
(US); **Sivaprasad Akasam**, Dunlap, IL  
(US); **Miguel Gonzales**, Princeville, IL  
(US)

*Primary Examiner* — Patricia A Palasik

(74) *Attorney, Agent, or Firm* — Tracy Jong Law Firm;  
Tracy P. Jong; Cheng Ning Jong

(73) Assignee: **Intellihot, Inc.**, Galesburg, IL (US)

(57) **CLAIM**

The ornamental design for a condensate neutralizer device,  
as shown and described.

(\*\*) Term: **15 Years**

**DESCRIPTION**

(21) Appl. No.: **29/592,311**

(22) Filed: **Jan. 30, 2017**

(51) **LOC (11) Cl.** ..... **15-09**

(52) **U.S. Cl.**  
USPC ..... **D15/144**

(58) **Field of Classification Search**  
USPC ..... D15/122, 144, 144.1, 144.2; D23/329,  
D23/332  
CPC ..... F23J 15/00; F24H 8/006; Y02B 30/106  
See application file for complete search history.

FIG. 1 is a top right front view of a condensate neutralizer device.

FIG. 2 is a bottom left rear view thereof.

FIG. 3 is a top view thereof.

FIG. 4 is a bottom view thereof.

FIG. 5 is a front view thereof.

FIG. 6 is a rear view thereof.

FIG. 7 is a right side view thereof; and,

FIG. 8 is a left side view thereof.


The rectangular and circular features disposed on the front portion of the right side of the condensate neutralizer device as shown in FIGS. 1 and 7, the circular features disposed on the lower portion of the front of the condensate neutralizer device as shown in FIGS. 1-2 and 4-8, the combined rectangular and circular features disposed on the bottom portion of the front support as shown in FIGS. 2 and 4, the semi-circular opening disposed on the bottom surface of the condensate neutralizer device as shown in FIGS. 2 and 4, the two ports disposed on the rear of the condensate neutralizer device as shown in FIGS. 2-4 and 6-8 and the broken lines shown throughout the views represent the portions of the design that form no part of the claim.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D137,465 S \* 3/1944 Nielsen ..... D15/144  
D148,739 S \* 2/1948 Wilks ..... D23/342  
4,289,730 A \* 9/1981 Tomlinson ..... B01D 53/34  
110/203  
4,309,947 A \* 1/1982 Ketterer ..... F24H 8/006  
110/203  
4,478,158 A \* 10/1984 Smith ..... F24H 3/065  
110/215  
4,543,892 A \* 10/1985 Tomlinson ..... B01D 53/507  
110/203  
D287,757 S \* 1/1987 Webb ..... D15/144.1

**1 Claim, 8 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2009/0229539 A1\* 9/2009 Young ..... F16T 1/34  
122/14.1  
2011/0297139 A1\* 12/2011 Tsunekawa ..... F28F 17/005  
126/112  
2016/0216005 A1\* 7/2016 Bruton ..... F24H 8/006  
2016/0363346 A1\* 12/2016 Vargo ..... F24H 8/006  
2017/0010020 A1\* 1/2017 Bernasconi ..... F24H 8/006

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5






FIG. 6






FIG. 7




FIG. 8