



US00D822735S

(12) **United States Design Patent** (10) **Patent No.:** **US D822,735 S**
Dimattia, Jr. (45) **Date of Patent:** **** Jul. 10, 2018**

(54) **POSITIONABLE END EFFECTOR LINK**
(71) Applicant: **Donald Dimattia, Jr.**, New Bern, NC (US)
(72) Inventor: **Donald Dimattia, Jr.**, New Bern, NC (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/597,549**
(22) Filed: **Mar. 17, 2017**
(51) **LOC (11) Cl.** **15-99**
(52) **U.S. Cl.**
USPC **D15/199**
(58) **Field of Classification Search**
USPC D15/199; D21/578-583, 621, 622
CPC ... B25J 5/00; B25J 5/007; B25J 9/0006; B25J 19/0016; Y10S 901/01; Y10S 901/19; Y10S 901/27
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,107,719 A * 4/1992 Kota B25J 9/106
414/744.5
D343,630 S * 1/1994 Tomiyama D15/199
D410,660 S * 6/1999 Kawaguchi D15/199
D433,042 S * 10/2000 Kawahara D15/199
D503,943 S * 4/2005 Kawaguchi D15/199
7,559,590 B1 * 7/2009 Jones B25J 19/0025
294/2
D622,299 S * 8/2010 Liu D15/199
D711,061 S * 8/2014 Chen D34/29
2006/0009711 A1 * 1/2006 Gingrich A61B 10/06
600/564
2008/0267747 A1 * 10/2008 DiBella H01L 21/68707
414/225.01
2010/0180711 A1 * 7/2010 Kilibarda B05B 15/0225
74/490.06

2010/0262162 A1 * 10/2010 Omori A61B 1/00149
606/130
2010/0290886 A1 * 11/2010 Hashimoto B25J 9/042
414/800
2011/0040427 A1 * 2/2011 Ben-Tzvi B25J 5/005
701/2
2011/0245844 A1 * 10/2011 Jinno A61B 34/71
606/130
2012/0310255 A1 * 12/2012 Brisson A61B 17/295
606/130
2013/0110128 A1 * 5/2013 Schostek A61B 1/00158
606/130
2014/0202276 A1 * 7/2014 Song B25J 9/046
74/490.05
2014/0210224 A1 * 7/2014 Hashimoto H01L 21/67742
294/213

(Continued)

Primary Examiner — Patricia A Palasik
(74) *Attorney, Agent, or Firm* — Dunlap Bennett & Ludwig PLLC


(57) **CLAIM**

The ornamental design for a positionable end effector link, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a positionable end effector link;
FIG. 2 is a top plan view thereof;
FIG. 3 is a right side elevation view thereof, the left side elevation view being a mirror image thereof;
FIG. 4 is a front elevation view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a rear elevation view thereof; and,
FIG. 7 is a perspective view of the positionable end effector link, shown in use.
The broken lines showing the other positionable end effector links and attached plate in FIG. 7 depicts environmental subject matter that forms no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2015/0343630 A1* 12/2015 Tashiro H01L 21/67161
414/222.08
2016/0005638 A1* 1/2016 Agarwal H01L 21/67766
294/213
2016/0107317 A1* 4/2016 Hashimoto B25J 9/042
414/744.2
2016/0158943 A1* 6/2016 Ha H01L 21/67742
74/490.06
2017/0333065 A1* 11/2017 Brisson A61B 17/295
2018/0015620 A1* 1/2018 Nakaya B25J 15/106
2018/0028270 A1* 2/2018 Itkowitz A61B 34/30
2018/0036892 A1* 2/2018 Berns B25J 15/0616

* cited by examiner




FIG. 1



FIG. 2




FIG. 3

FIG.4






FIG.5

FIG.6






FIG. 7