



US00D823111S

(12) **United States Design Patent**
Ramsey

(10) **Patent No.:** **US D823,111 S**

(45) **Date of Patent:** **** Jul. 17, 2018**

(54) **CAN END**

(71) Applicant: **Crown Packaging Technology, Inc.**,
Alsip, IL (US)

(72) Inventor: **Christopher Paul Ramsey**, Wantage
(GB)

(73) Assignee: **Crown Packaging Technology, Inc.**,
Alsip, IL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/574,017**

(22) Filed: **Aug. 11, 2016**

(30) **Foreign Application Priority Data**

Feb. 15, 2016 (CN) 201630044362.0

(51) **LOC (11) Cl.** **09-07**

(52) **U.S. Cl.**
USPC **D9/438**

(58) **Field of Classification Search**
USPC D3/202, 318, 207, 208, 252, 285, 289,
D3/301; D7/213, 300, 300.1, 312-314,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D237,732 S * 11/1975 Roberts D11/79
D244,915 S * 7/1977 Cudzik D9/438
(Continued)

OTHER PUBLICATIONS

Wordpress—Best in Packaging. Reclosable Cans and the Can End as Marketing Tool. Oct. 26, 2012 [earliest online date], [site visited Oct. 26, 2017]. Available from Internet, <URL:https://bestinpackaging.com/2012/10/26/reclosable-cans-and-the-can-end-as-marketing-tool/>. (Year: 2012).*

(Continued)

Primary Examiner — Eric L Goodman

Assistant Examiner — Darcey E Heflin

(74) *Attorney, Agent, or Firm* — Baker & Hostetler LLP

(57) **CLAIM**

The ornamental design for a can end, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a can end unattached to a can body according to a first embodiment of our new design;

FIG. 2 is a top view thereof;

FIG. 3 is side view thereof, the side view being identical to the rear, left side, and right side views;

FIG. 4 is a bottom view thereof;

FIG. 5 is a top perspective view of a can end attached to a can body according to the first embodiment of our new design;

FIG. 6 is a top view thereof;

FIG. 7 is side view thereof, the side view being identical to the rear, left side, and right side views;

FIG. 8 is a bottom view thereof;

FIG. 9 is a top perspective view of a can end unattached to a can body according to a second embodiment of our new design;

FIG. 10 is a top view thereof;

FIG. 11 is side view thereof, the side view being identical to the rear, left side, and right side views;

FIG. 12 is a bottom view thereof;

FIG. 13 is a top perspective view of a can end attached to a can body according to the second embodiment of our new design;



FIG. 14 is a top view thereof;

FIG. 15 is side view thereof, the side view being identical to the rear, left side, and right side views; and,

FIG. 16 is a bottom view thereof.

The broken lines are shown for the purpose of illustrating parts of the can end that form no part of the claim.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14



FIG. 15




FIG. 16