



US00D823380S

(12) **United States Design Patent** (10) **Patent No.:** **US D823,380 S**
Uratani et al. (45) **Date of Patent:** **** Jul. 17, 2018**

(54) **CARTRIDGE**

(71) Applicant: **Canon Kabushiki Kaisha**, Ohta-ku,
Tokyo (JP)

(72) Inventors: **Shunsuke Uratani**, Mishima (JP);
Takeshi Arimitsu, Odawara (JP); **Ryoji Kusudo**,
Yokohama (JP); **Isao Koishi**, Yokohama (JP); **Yu Fukasawa**,
Nagareyama (JP); **Shigemi Kamoshida**, Tokyo (JP); **Ryota Shibuya**,
Yokohama (JP); **Shohei Katsuya**, Tokyo (JP); **Naoki Hayashi**,
Kawasaki (JP)

(73) Assignee: **Canon Kabushiki Kaisha**, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/552,153**

(22) Filed: **Jan. 20, 2016**

(30) **Foreign Application Priority Data**

Jul. 22, 2015 (JP) 2015-016287

(51) **LOC (11) Cl.** **16-03**

(52) **U.S. Cl.**
USPC **D18/43**

(58) **Field of Classification Search**

USPC D18/36, 37, 39, 40, 41, 44, 45, 46, 47,
D18/48, 49, 50, 51, 52, 53, 54, 55, 56;
D14/462, 463, 464, 465, 466, 467, 468,
D14/469, 470, 471, 301, 307, 129, 130
CPC B41J 3/00; B41J 3/28; B41J 3/445; B41J
3/46; B65H 11/00; B65H 11/002; B65H
2301/331; B65H 29/46; G03B 27/04;
G03B 27/08; G03B 27/14; G03B 27/16;
G03G 15/00; G03G 15/04; G03G 15/23;
G03G 15/28; G03G 15/50; G03G 15/55;
G03G 15/60; G03G 15/65; G03G 15/221;
G03G 15/5075; G03G 15/6558; G03G
15/0832; G03G 15/0834; G03G 15/0836;
G03G 15/0837; G03G 15/0877; G03G

15/0867; G03G 15/0868; G03G 15/0872;
G03G 15/0898; G03G 15/5016; G03G
15/0841; G03G 21/1853; G03G 21/20;
G03G 21/18;

(Continued)

References Cited

U.S. PATENT DOCUMENTS

5,966,568 A * 10/1999 Numagami G03G 21/1825
222/DIG. 1
6,070,028 A * 5/2000 Odagawa G03G 21/1832
399/104

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/552,142, filed Jan. 20, 2016, S. Uratani.
U.S. Appl. No. 29/552,146, filed Jan. 20, 2016, S. Uratani.

Primary Examiner — Barbara Fox

Assistant Examiner — Mary C Ramirez

(74) *Attorney, Agent, or Firm* — Fitzpatrick, Cella,
Harper & Scinto



(57) **CLAIM**

The ornamental design for a cartridge, as shown and
described.

DESCRIPTION

FIG. 1 is a front view of a cartridge showing our new design;
FIG. 2 is a rear view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof;
FIG. 7 is a front, top perspective view thereof; and,
FIG. 8 is a rear, bottom perspective view thereof.
The broken lines shown in the drawings illustrate portions of
the cartridge that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(58) **Field of Classification Search**

CPC G03G 21/08; G03G 21/16; G03G
2221/1654; G03G 2221/183; G03G
2221/1684; G03G 2221/1645; G03F
7/70716; G06K 15/12; G06K 15/14;
H04N 1/00204; H04N 1/00249; H04N
1/00278; H04N 1/00602; H04N 1/00631

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D433,441	S	*	11/2000	Yonekawa		D18/43
D477,631	S	*	7/2003	Mori		D18/40
D478,615	S	*	8/2003	Karakama		D18/40
D489,752	S	*	5/2004	Yamaguchi		D18/40
D489,753	S		5/2004	Batori et al.		D18/40
D500,335	S	*	12/2004	Karakama		D18/40
D508,074	S		8/2005	Batori et al.		D18/40
D519,150	S	*	4/2006	Kojima		D18/40
D523,894	S	*	6/2006	Ishii		D18/40
D524,359	S	*	7/2006	Karakama		D18/40
D565,094	S	*	3/2008	Sasaki		D18/43
D583,860	S	*	12/2008	Kubota		D18/43
D585,482	S	*	1/2009	Kubota		D18/43
D614,691	S	*	4/2010	Abe		D18/43
D622,308	S		8/2010	Kubota et al.		D18/43
D622,309	S		8/2010	Kubota et al.		D18/43
D631,088	S	*	1/2011	Chadani		D18/43
D631,089	S	*	1/2011	Chadani		D18/43
D631,090	S	*	1/2011	Chadani		D18/43
D632,731	S	*	2/2011	Abe		D18/43
D694,814	S	*	12/2013	Fukamachi		D18/40

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8