



US00D823520S

(12) **United States Design Patent** (10) **Patent No.:** **US D823,520 S**
Guercio et al. (45) **Date of Patent:** **** Jul. 17, 2018**

(54) **HALF BELL LIGHT FIXTURE**
(71) Applicant: **RAB Lighting Inc.**, Northvale, NJ (US)
(72) Inventors: **Vincenzo Guercio**, Wallkill, NY (US);
Wengang Gao, Ningbo (CN)
(73) Assignee: **RAB Lighting Inc.**, Northvale, NJ (US)
(**) Term: **15 Years**

(21) Appl. No.: **29/588,130**
(22) Filed: **Dec. 19, 2016**
(51) **LOC (11) Cl.** **26-05**
(52) **U.S. Cl.**
USPC **D26/85**
(58) **Field of Classification Search**
USPC D26/72, 85-87, 124
CPC F21V 1/00; F21V 5/00; F21V 5/02; F21V
5/043; F21V 21/00; F21V 21/02; F21V
7/041; F21V 7/043; F21S 8/03; F21S
8/033; F21S 8/036; F21S 8/037; F21S
8/04; F21S 9/037; F21W 2131/107
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
2,640,913 A * 6/1953 Little F21S 8/033
362/307
D248,184 S 6/1978 Roberts
D285,489 S * 9/1986 Russell D26/86
D309,791 S * 8/1990 Boccato D26/85
D337,846 S 7/1993 Fiorato
D362,321 S * 9/1995 Houssin D26/63
D390,999 S 2/1998 Gaskins et al.
D446,340 S 8/2001 Bradford et al.
D494,701 S 8/2004 Campbell
D500,883 S * 1/2005 Herst D26/118
D524,673 S 7/2006 Dicke et al.
D567,426 S * 4/2008 Chiu D26/85
D570,516 S * 6/2008 Orellana D26/71

D577,146 S 9/2008 Haugaard et al.
D592,798 S 5/2009 Chandler
D610,296 S 2/2010 Boissevain et al.
D634,470 S * 3/2011 Hsieh D26/118
D653,377 S 1/2012 Guercio
D664,703 S 7/2012 Yu
D681,864 S 5/2013 Guercio et al.
(Continued)

FOREIGN PATENT DOCUMENTS

TW 201112862 4/2011

OTHER PUBLICATIONS

Cooper Lighting—Lumark; Impact Cylinder; product page;
Peachtree City, GA.

(Continued)

Primary Examiner — Cathron C Brooks
(74) *Attorney, Agent, or Firm* — SmithAmundsen LLC;
Douglas G. Gallagher; Kevin C. Oschman


(57) **CLAIM**

The ornamental design for a half bell light fixture, substan-
tially as shown and described.

DESCRIPTION

FIG. 1 is a bottom-left perspective view of the new design;
FIG. 2 is a front view of the new design;
FIG. 3 is a left side view of the new design;
FIG. 4 is a rear-right perspective view of the new design;
FIG. 5 is a rear view of the new design;
FIG. 6 is a top view of the new design;
FIG. 7 is a bottom view of the new design; and,
FIG. 8 is a top-right perspective view of the new design.
The broken lines shown in the drawings are for the purposes
of illustrating portions that form no part of the claimed
design. The right side view is a mirror image of the left side
view in FIG. 3 and is therefore omitted.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D691,320 S 10/2013 Guercio et al.
9,765,949 B2* 9/2017 Shen F21V 13/04
2006/0164837 A1* 7/2006 Utip F21V 1/00
362/307
2016/0169743 A1* 6/2016 Buckley G01J 5/08
250/338.3
2016/0195256 A1* 7/2016 Schwarz F21V 31/00
362/294

OTHER PUBLICATIONS

RUUD Lighting Inc.; Direct Mount 16" Full Cutoff Wall Pack;
GWCO-16 Series; product page; Racine, Wisconsin.
ZIGA Co., Ltd.; The Mixture of Light Source, Yungho City, Taiwan.
RAB Lighting Inc.; LED Outdoor Summer 2013 Catalog; Slim LED
Wallpack.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8