



US00D824034S

(12) **United States Design Patent**  
**Pushpala et al.**

(10) **Patent No.:** **US D824,034 S**  
(45) **Date of Patent:** **\*\* Jul. 24, 2018**

(54) **BIOMONITORING INTERFACE DEVICE**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **Sano Intelligence, Inc.**, San Francisco, CA (US)

JP 4112499 7/2008  
JP 4373604 11/2009

(Continued)

(72) Inventors: **Ashwin Pushpala**, San Francisco, CA (US); **Dominic Pitera**, San Francisco, CA (US); **Matthew Chapman**, San Francisco, CA (US)

OTHER PUBLICATIONS

Nobody Needs This Silicon Valley-Made Blood Sugar Tracker for ‘Wellness’ and Lifestyle, posted Feb. 9, 2017, [online], [site visited Dec. 2, 2017]. Available from Internet, URL:<http://https://gizmodo.com/nobody-needs-this-silicon-valley-made-blood-sugar-track-1791564339>.\*

(73) Assignee: **Sano Intelligence, Inc.**, San Francisco, CA (US)

(\*\*) Term: **15 Years**

*Primary Examiner* — Anhdao Doan

*Assistant Examiner* — Mary Malley

(21) Appl. No.: **29/587,774**

(74) *Attorney, Agent, or Firm* — Jeffrey Schox; Caitlin Ploch

(22) Filed: **Dec. 15, 2016**

(51) **LOC (11) Cl.** ..... **24-01**

(52) **U.S. Cl.**  
USPC ..... **D24/186**

(57) **CLAIM**

The ornamental design for a biomonitoring interface device, as shown and described.

(58) **Field of Classification Search**

USPC ..... D24/165–168, 186, 187, 200, 231, 232; D10/70, 75, 78, 97, 98; D14/203.6, 344; 600/301, 382–384, 386, 390, 483, 600/500–503, 508, 509, 513; 128/DIG. 15

CPC ..... A61B 5/0205; A61B 5/02055; A61B 5/02405; A61B 5/02444; A61B 5/4809; A61B 5/1102; A61B 5/6801; A61B 5/6802; A61B 5/6813; A61B 5/6814; A61B 5/6815; A61B 5/6816; A61B 5/6817; A61B 5/6818; A61B 5/6819; A61B 5/6822; A61B 5/6823; A61B 5/6824; A61B 5/6825; A61B 5/6826; A61B 5/6828; A61B 5/0444; A61B 5/0448; A61B 5/0432; A61B 5/02411;

(Continued)

**DESCRIPTION**

FIG. 1 is an isometric view, from the top, of the biomonitoring interface device.

FIG. 2 is an isometric view, from the bottom, of the biomonitoring interface device.

FIG. 3 is a plan view of the top of the biomonitoring interface device.

FIG. 4 is an elevation view of the right side of the biomonitoring interface device.

FIG. 5 is an elevation view of the front of the biomonitoring interface device.

FIG. 6 is a plan view of the bottom of the biomonitoring interface device.

FIG. 7 is an elevation view of the back of the biomonitoring interface device; and,

FIG. 8 is an elevation view of the left side of the biomonitoring interface device.


(56) **References Cited**

U.S. PATENT DOCUMENTS

D599,909 S \* 9/2009 Rinott ..... D24/186  
D687,328 S \* 8/2013 Clymer ..... D10/104.1

(Continued)

**1 Claim, 3 Drawing Sheets**



(58) **Field of Classification Search**

CPC ... A61B 5/0011; A61B 5/4343; A61B 5/4362;  
A61B 5/4356; A61B 5/6833; A61B  
5/0478; A61B 2503/02; A61G 2203/36  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D717,674 S	*	11/2014	Vu	.....	D10/65
D739,776 S	*	9/2015	Vu	.....	D10/103
D757,275 S	*	5/2016	Lee	.....	D24/187
D796,355 S	*	9/2017	Cho	.....	D10/70
D796,682 S	*	9/2017	Falk	.....	D24/186

FOREIGN PATENT DOCUMENTS

JP	4439733	3/2010
JP	4574847	11/2010
JP	4905906	3/2012
JP	5021115	9/2012
JP	5591715	9/2014
JP	5640110	12/2014
JP	2015505251	2/2015
JP	5680960	3/2015
JP	5749751	7/2015
JP	5795584	10/2015
JP	2016508763	3/2016
JP	2016517601	6/2016
JP	2016518881	6/2016
WO	025549	3/2011

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 8




FIG. 6




FIG. 7