



US00D824786S

(12) **United States Design Patent** (10) **Patent No.:** **US D824,786 S**
Combe et al. (45) **Date of Patent:** **** *Aug. 7, 2018**

(54) **TEMPERATURE CONTROLLER**

(71) Applicant: **British Gas Trading Limited**, Windsor, Berkshire (GB)

(72) Inventors: **Nicola Combe**, London (GB); **Yves Béhar**, San Francisco, CA (US); **Noah Murphy-Reinhertz**, San Francisco, CA (US); **Moonchul Kim**, San Francisco, CA (US); **Mirko Ihrig**, San Francisco (CA); **Curtis John Collinsworth**, Sausalito, CA (US); **Brett Derek Middleton**, Oakland, CA (US); **Hideaki Matsui**, San Francisco, CA (US)

(73) Assignee: **British Gas Trading Limited**, Berkshire (GB)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/532,959**

(22) Filed: **Jul. 13, 2015**

(51) **LOC (11) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/50**

(58) **Field of Classification Search**
USPC D10/49, 50, 60; D13/162, 162.1, 177
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D622,621 S *	8/2010	Choi	D10/50
D669,865 S *	10/2012	Gilbert	D10/49
D738,755 S *	9/2015	Druce	D10/50

* cited by examiner

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Brinks Gilson & Lione; G. Peter Nichols

(57) **CLAIM**

The ornamental design for a temperature controller, as shown and described.

DESCRIPTION

The patent or application file contains at least one drawing executed as a photograph and in color. Copies of this patent or patent application with photographs and color drawings will be provided by the Office upon request and payment of the necessary fee.

FIG. 1 is a perspective view of a temperature controller in one form of the ornamental design;

FIG. 2 is a further perspective view of the temperature controller of FIG. 1;

FIG. 3 is a front view of the temperature controller of FIG. 1;

FIG. 4 is a side view of the temperature controller of FIG. 1;

FIG. 5 is a top view of the temperature controller of FIG. 1;

FIG. 6 is a back view of the temperature controller of FIG. 1;

FIG. 7 is a perspective view of the temperature controller of FIG. 1 showing elements of a user interface provided on the temperature controller;

FIG. 8 is a perspective view of a temperature controller in another form of the ornamental design;

FIG. 9 is a front view of the temperature controller of FIG. 8 showing elements of a user interface illuminated on the temperature controller;

FIG. 10 is another front view of the temperature controller of FIG. 8 showing further elements of a user interface illuminated on the temperature controller;

FIG. 11 is a perspective view of the temperature controller of FIG. 10;

FIG. 12 is another front view of the temperature controller of FIG. 8 showing other elements of a user interface provided on the temperature controller;

FIG. 13 is another front view of the temperature controller of FIG. 8 showing other elements of a user interface provided on the temperature controller; and,

(Continued)




FIG. 14 is a perspective view of the temperature controller of FIG. 13.

The ornamental design includes a control knob mounted on a front surface of the temperature controller. The panel may be transparent or semi-transparent. The design also includes the ornamental design of various arrangements of displays including a temperature display, a schedule bar display, and other user interface elements.

**1 Claim, 14 Drawing Sheets
(14 of 14 Drawing Sheet(s) Filed in Color)**

(58) Field of Classification Search

CPC H01H 2223/00; H01H 2223/002; H01H
2223/003; H01H 2223/004; H01H
2223/006

See application file for complete search history.



Figure 1



Figure 2



Figure 3




Figure 4




Figure 5



Figure 6



Figure 7



Figure 8



Figure 9



Figure 10



Figure 11



Figure 12



Figure 13



Figure 14