



US00D825253S

(12) **United States Design Patent**
Kilicarslan

(10) **Patent No.:** **US D825,253 S**

(45) **Date of Patent:** **** Aug. 14, 2018**

(54) **EGG COOKING DEVICE**

(71) Applicant: **Alex Kilicarslan**, Irvine, CA (US)

(72) Inventor: **Alex Kilicarslan**, Irvine, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/609,908**

(22) Filed: **Jul. 6, 2017**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/585,489, filed on Nov. 23, 2016.

(51) **LOC (11) Cl.** **07-02**

(52) **U.S. Cl.**
USPC **D7/354; D7/357**

(58) **Field of Classification Search**
USPC D7/323, 354–361, 543, 545, 549, 550.1, D7/553.1–553.8, 554.1–554.4, 555, 584, D7/586, 673, 675; D9/430–433, D9/455–456, 643, 732, 737, 756–762
CPC A21B 3/00; A21B 3/13; A21B 3/15; A21B 3/134; A21B 5/00; A21B 5/02; A47J 36/022; A47J 36/025; A47J 36/027; A47J 37/00; A47J 37/04; B65D 1/22; B65D 1/24; B65D 1/34; B65D 1/36; B65D 81/343; B65D 85/36; B65D 85/324
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D272,317 S * 1/1984 Parmentier D15/90
D346,552 S * 5/1994 Krupa D9/757
D368,414 S * 4/1996 VanHalteren D7/675
5,857,574 A * 1/1999 Weber B65D 85/324
206/459.5

D421,369 S * 3/2000 Samarasinghe D7/673
D447,684 S * 9/2001 Hogman D9/757
D504,286 S * 4/2005 de Cleir D7/675
7,150,221 B2 * 12/2006 Morgan A21B 3/13
99/428
D654,759 S * 2/2012 Browning D7/354
D661,541 S * 6/2012 Braden D7/354
D737,136 S * 8/2015 Lam D9/643
D747,621 S * 1/2016 Amerson D7/354
D782,334 S * 3/2017 Bishop D9/757

* cited by examiner

Primary Examiner — Ricky Pham

(74) *Attorney, Agent, or Firm* — Cionca IP Law P.C.;
Marin Cionca

(57) **CLAIM**

The ornamental design for an egg cooking device, as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of an egg cooking device having caps, an upper portion, and a lower portion, showing the new design in a closed state;


FIG. 2 is an exploded perspective view of the egg cooking device of FIG. 1 in an open state;

FIG. 3 is a bottom perspective view of the upper portion of the egg cooking device of FIG. 1; and,

FIG. 4 is a side cross-sectional elevation view, taken along line 4-4 of FIG. 1, of the egg cooking device of FIG. 1 in a closed state.

The broken lines immediately adjacent the shaded surfaces represent the bounds of the claimed design. All other broken lines depict environmental subject matter that forms no part of the claimed design. The broken lines and unshaded surfaces bounded by broken lines form no part of the claimed design. The views not shown form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4