



US00D825314S

(12) **United States Design Patent** (10) **Patent No.:** **US D825,314 S**
Wild et al. (45) **Date of Patent:** **** Aug. 14, 2018**

(54) **SHAFT OF A KEY**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **ASSA ABLOY (SCHWEIZ) AG,**
Richterswil (CH)

CN 1078529 11/1993
CN 1268989 10/2000

(72) Inventors: **Thomas Wild,** Richterswil (CH); **Detlef Sprenger,** Siebnen (CH)

(Continued)

(**) Term: **15 Years**

Primary Examiner — Darlington Ly

(21) Appl. No.: **35/501,129**

(22) Filed: **Dec. 22, 2015**

(57) **CLAIM**

(80) **Hague Agreement Data**

The ornamental design for a shaft of a key, as shown and described.

Int. Filing Date: **Dec. 22, 2015**

Int. Reg. No.: **DM/089162**

Int. Reg. Date: **Dec. 22, 2015**

Int. Reg. Pub. Date: **Jun. 24, 2016**

DESCRIPTION

(51) **LOC (11) Cl.** **08-07**

(52) **U.S. Cl.**

USPC **D8/347**

(58) **Field of Classification Search**

USPC D8/347, 348

CPC F04B 19/20; F04B 25/00; F04B 27/00;

F04B 35/00; F04B 37/00; F04B 39/00

See application file for complete search history.

2.1 is a top perspective view of a shaft of a key showing our new design;

2.2 is a bottom perspective view thereof;

2.3 is a rear elevation view thereof;

2.4 is a front elevation view thereof;

2.5 is a right side elevation view thereof;

2.6 is a left side elevation view thereof;

2.7 is a top plan view thereof;

2.8 is a bottom plan view thereof; and

2.9 is an enlarged view of a portion of the design referenced in **2-2**.

4.1 is a top perspective view of a shaft of a key showing our new design in accordance to an alternate embodiment;

4.2 is a bottom perspective view thereof;

4.3 is a rear elevation view thereof;

4.4 is a front elevation view thereof;

4.5 is a right side elevation view thereof;

4.6 is a left side elevation view thereof;

4.7 is a top plan view thereof; and

4.8 is a bottom plan view thereof.

The even broken lines in the drawings illustrate portions of the key shaft and environmental structure of a key fob that do not form part of the claimed design. The dot-dash broken lines illustrate boundaries of the claim and form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,688,269 A * 8/1972 Miller G07C 9/00007
235/382

D250,990 S * 2/1979 Hanneman D8/347

4,667,495 A 5/1987 Girard et al.

5,383,345 A * 1/1995 Kallinger-Prskawetz-Jacobsen .
E05B 19/04
403/294

D361,708 S * 8/1995 Kahonen D8/347

5,437,176 A 8/1995 Keller

D389,624 S * 1/1998 Drimmie D3/210

5,718,136 A 2/1998 Aldieri et al.

D495,584 S * 9/2004 Su D8/347


D635,006 S * 3/2011 Heikinmatti D8/347

D678,038 S * 3/2013 Schindler D8/347

D680,417 S * 4/2013 Crepinsek D8/347

(Continued)

1 Claim, 11 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

8,746,025 B2 6/2014 Haviv et al.
D759,462 S * 6/2016 Bransgrove D8/347
D765,490 S * 9/2016 Nicoara D8/347
D788,931 S * 6/2017 Jones Andersson D24/195
2011/0048084 A1 3/2011 Tong

FOREIGN PATENT DOCUMENTS

EP 0605932 A2 7/1994
EP 0621384 A1 10/1994
EP 2218850 A1 8/2010
FR 2561293 A1 9/1985
FR 2619149 A1 2/1989
FR 2116327 A1 9/1999

* cited by examiner




FIG. 2-1




FIG. 2-2




FIG. 2-3




FIG. 2-4



FIG. 2-5



FIG. 2-6



FIG. 2-7




FIG. 2-8




FIG. 2-9




FIG. 4-1




FIG. 4-2




FIG. 4-3




FIG. 4-4



FIG. 4-5



FIG. 4-6



FIG. 4-7




FIG. 4-8