



US00D825349S

(12) **United States Design Patent**  
**Kikuta**

(10) **Patent No.:** **US D825,349 S**

(45) **Date of Patent:** **\*\* Aug. 14, 2018**

(54) **BAG**

(71) Applicant: **Marna Inc.**, Tokyo (JP)

(72) Inventor: **Minami Kikuta**, Tokyo (JP)

(73) Assignee: **Marna Inc.**, Tokyo (JP)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/618,588**

(22) Filed: **Sep. 22, 2017**

**Related U.S. Application Data**

(62) Division of application No. 29/559,577, filed on Mar. 30, 2016, now Pat. No. Des. 802,441.

(30) **Foreign Application Priority Data**

Oct. 2, 2015 (JP) ..... 2015-021766  
Jan. 13, 2016 (JP) ..... 2016-000540

(51) **LOC (11) Cl.** ..... **09-05**

(52) **U.S. Cl.**  
USPC ..... **D9/703**

(58) **Field of Classification Search**  
USPC ..... D9/702-714, 414-415, 417-418, 737,  
D9/424, 430-432, 433, 730-732, 756,  
(Continued)

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D122,138 S \* 8/1940 Freidman ..... D3/246  
D139,612 S 12/1944 Norton  
(Continued)

**FOREIGN PATENT DOCUMENTS**

HK 0312285.0 12/2003  
JP D1435474 3/2012  
KR 30-0391007 9/2005

**OTHER PUBLICATIONS**

Orange Page, Jun. 17, 2012, Japan, (3 pages).

*Primary Examiner* — Abraham Bahta

(74) *Attorney, Agent, or Firm* — Kilyk & Bowersox,  
P.L.L.C.



(57) **CLAIM**

I claim the ornamental design for a bag, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the bag showing my new design;  
FIG. 2 is a front elevation view thereof;  
FIG. 3 is a back elevation view thereof;  
FIG. 4 is a top plan view thereof;  
FIG. 5 is a bottom plan view thereof;  
FIG. 6 is a right side elevation view thereof;  
FIG. 7 is a left side elevation view thereof;  
FIG. 8 is another front elevation view thereof, wherein the bag is in a partially open position;  
FIG. 9 is another perspective view thereof; the bag being in a partially open position;  
FIG. 10 is another front elevation view thereof; the bag being in a fully open position;  
FIG. 11 is another perspective view thereof; the bag being in a fully open position;  
FIG. 12 is another perspective view thereof; the bag being in a partially expanded position for use as a tote bag; and,  
FIG. 13 is another perspective view thereof; the bag being in a fully expanded position for use as a shoulder bag.  
The broken lines are for purposes of illustration only and form no part of the claimed design.

**1 Claim, 13 Drawing Sheets**



(58) **Field of Classification Search**

USPC ..... D9/761; D7/549, 553.2, 590, 602;  
D3/201, 203.3, 303, 202; 206/527, 4.27,  
206/807, 260, 811, 103, 207; 220/500,  
220/666; 229/120.011, 87.06;  
426/119-120; 222/92, 107, 215, 206  
CPC ..... B65D 85/00; B65D 75/00; B65D 33/00;  
B65D 33/24; B65D 33/16; B65D 33/12;  
B65D 33/008; B65D 33/06; B65D 25/04;  
B65D 31/00; B65D 31/005

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D270,496 S	9/1983	Hyers
D517,420 S	3/2006	Scheider
D576,888 S	9/2008	Helfman
D600,135 S	9/2009	Valentine
D747,604 S	1/2016	Kurtz
D764,942 S	8/2016	Bacchini

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13