



US00D825446S

(12) **United States Design Patent** (10) **Patent No.:** **US D825,446 S**  
**Maxwell et al.** (45) **Date of Patent:** **\*\* Aug. 14, 2018**

(54) **TIRE TREAD WEAR INDICATOR**  
(71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**  
(72) Inventors: **Paul Bryan Maxwell, Kent, OH (US); Jesse Brian Serva, Akron, OH (US); Thomas Andrew Laurich, Fairlawn, OH (US)**

D768,053 S 10/2016 Schimmoeller ..... D12/521  
D768,558 S 10/2016 Schimmoeller ..... D12/521  
D770,362 S 11/2016 Schimmoeller ..... D12/521  
D772,145 S 11/2016 Schimmoeller ..... D12/521  
2009/0095388 A1\* 4/2009 Cuny ..... B60C 11/1384  
152/154.2  
2012/0125499 A1\* 5/2012 Harvey ..... B60C 11/24  
152/154.2

(Continued)

(73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

FOREIGN PATENT DOCUMENTS

JP 1458414 11/2012

(\*\*) Term: **15 Years**

OTHER PUBLICATIONS

(21) Appl. No.: **29/591,761**

Tread wear indicator reference found online [Dec. 12, 2017]  
—<https://info.kaltire.com/replace-winter-tires/>\*

(22) Filed: **Jan. 24, 2017**

(Continued)

(51) **LOC (11) Cl.** ..... **12-15**

(52) **U.S. Cl.**  
USPC ..... **D12/604**

(58) **Field of Classification Search**  
USPC ..... D12/533–604, 900  
CPC ..... Y10T 152/10027; B60C 1/0016; B60C 11/0306; B60C 11/0302; B60C 3/06; B60C 9/17  
See application file for complete search history.

*Primary Examiner* — Lakiya G Rogers  
*Assistant Examiner* — John A Voytek  
(74) *Attorney, Agent, or Firm* — Robert N. Lipsik

(57) **CLAIM**

The ornamental Design for a tire tread wear indicator, as shown and described.

**DESCRIPTION**

(56) **References Cited**


U.S. PATENT DOCUMENTS

2,706,509 A 4/1955 White ..... 152/209  
4,198,774 A \* 4/1980 Roberts ..... B60C 13/001  
152/523  
4,823,856 A \* 4/1989 Roberts ..... B60C 13/001  
152/523  
7,743,807 B2 \* 6/2010 Palombo ..... B60C 1/00  
149/117  
8,256,479 B2 \* 9/2012 Nakano ..... B29C 33/10  
152/454  
D717,727 S 11/2014 Parr et al. .... D12/604  
D740,218 S \* 10/2015 Raatikainen ..... D12/604  
D765,589 S 9/2016 Hara ..... D12/604

FIG. 1 is a fragmentary perspective view of a tire tread wear indicator showing our new design;  
FIG. 2 is an enlarged fragmentary perspective view from the circled area shown in FIG. 1;  
FIG. 3 is an enlarged partial front elevational view from the circled area shown in FIG. 1; and,  
FIG. 4 is a cross-sectional view taken along Line 4-4 of FIG. 3.

In the drawings, the broken lines showing of a tire depict environmental subject matter and form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**



(56)

**References Cited**


U.S. PATENT DOCUMENTS

2013/0160913 A1\* 6/2013 Lonkar ..... B60C 13/003  
152/523

OTHER PUBLICATIONS

Japanese search report dated Nov. 7, 2017 and received by Appli-  
cation on Nov. 20, 2017.

\* cited by examiner



**FIG. 1**




FIG. 2



FIG. 3




FIG. 4