



US00D825531S

(12) **United States Design Patent** (10) **Patent No.:** **US D825,531 S**
Nokuo (45) **Date of Patent:** **** Aug. 14, 2018**

(54) **CONTROLLER FOR ELECTRONIC DEVICE**

(71) Applicant: **SONY COMPUTER ENTERTAINMENT INC.**, Tokyo (JP)

(72) Inventor: **Taichi Nokuo**, Tokyo (JP)

(73) Assignee: **SONY COMPUTER ENTERTAINMENT INC.**, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/558,078**

(22) Filed: **Mar. 15, 2016**

(30) **Foreign Application Priority Data**

Feb. 12, 2016 (JP) 2016-002982

(51) **LOC (11) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/218**

(58) **Field of Classification Search**
USPC D14/218; D13/168; D21/566; D10/104,
D10/106
CPC G05D 1/0038; G08C 23/04; G08C 17/02;
H04N 5/23203; H04N 7/142; H03G 9/02;
H03G 3/001; H03G 1/02; H03G 3/04
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D85,176 S * 9/1931 Garretson D14/218
D121,962 S * 8/1940 Meuer D13/168
D168,442 S * 12/1952 Gast D14/218
D170,648 S * 10/1953 Mazzola D13/168
2,680,794 A * 6/1954 Ballou H01H 13/10
200/294
D270,441 S * 9/1983 Moldenhauer D13/168
D272,339 S * 1/1984 Penland D13/168
D310,202 S * 8/1990 Suck D13/164

D326,655 S * 6/1992 Iribe D14/192
D344,524 S * 2/1994 Taniguchi D14/205
5,645,277 A * 7/1997 Cheng A63F 13/06
273/148 B
D458,230 S * 6/2002 Hand D13/164
D496,031 S * 9/2004 Ma D10/104.1
D535,952 S * 1/2007 Fekete D14/299
D539,782 S * 4/2007 Lee D14/188
D554,112 S * 10/2007 Brisben D14/240
D596,163 S * 7/2009 Madonna D14/218
D625,294 S * 10/2010 Wada D14/218
D671,505 S 11/2012 Clark et al.
D714,739 S * 10/2014 Rantala D13/168
D716,268 S * 10/2014 Yamamoto D14/218
D726,831 S * 4/2015 Lee D13/168
D731,456 S * 6/2015 Dahlberg D14/205
D740,369 S * 10/2015 Cho D21/333

(Continued)

OTHER PUBLICATIONS

Taiwan Official Action—105301334—dated Sep. 7, 2016.

Primary Examiner — John Windmuller

(74) *Attorney, Agent, or Firm* — Young & Thompson


(57) **CLAIM**

The ornamental design for the controller for electronic device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of front, bottom and right side of a controller for electronic device showing my new design; FIG. 2 is a front view thereof; FIG. 3 is a rear view thereof; FIG. 4 is a left side view thereof; FIG. 5 is a right side view thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a bottom plan view thereof. The broken lines in the figures depict portions of the article that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D743,381 S	*	11/2015	Pi	D14/218
D761,742 S	*	7/2016	Landerholm	D13/168
D784,287 S	*	4/2017	Murray	D14/168
D785,598 S	*	5/2017	Ikonen	D14/218
D811,371 S	*	2/2018	Meyer	D14/218
D812,038 S	*	3/2018	Nakajima	D14/205
2004/0224717 A1	*	11/2004	Hertzberg	H04M 1/22 455/550.1

* cited by examiner

Fig. 1




Fig. 2




Fig. 3




Fig. 5




Fig. 4




Fig. 6




Fig. 7

