



US00D825572S

(12) **United States Design Patent** (10) **Patent No.:** **US D825,572 S**
Kim (45) **Date of Patent:** **** Aug. 14, 2018**

(54) **STAND FOR ELECTRONIC DEVICES**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **Dae-Young Kim**, Seoul (KR)

KR 30-0674054 12/2012
KR 10-1316363 10/2013

(72) Inventor: **Dae-Young Kim**, Seoul (KR)

(Continued)

(73) Assignee: **SPIGEN KOREA CO., LTD.**,
Bongeunsa-ro, Gangnam-gu, Seoul (KR)

OTHER PUBLICATIONS

(**) Term: **15 Years**

“iRing Universal Masstige Ring Grip/Stand Holder for any Smart Device—Black,” http://www.amazon.com/iRing-Universal-Masstige-Holder-Device/dp/B00DUN9B9U/ref=cm_cr_ar_p_d_product_top?ie=UTF8, Downloaded Apr. 18, 2016, 7pages.

(21) Appl. No.: **29/545,826**

(22) Filed: **Nov. 16, 2015**

Primary Examiner — Angela J Lee

Related U.S. Application Data

(74) Attorney, Agent, or Firm — Heedong Chae; Lucem, PC

(63) Continuation of application No. 29/536,847, filed on Aug. 19, 2015, now Pat. No. Des. 782,488.

(51) **LOC (11) Cl.** **08-07**

(57) **CLAIM**

(52) **U.S. Cl.**

The ornamental design for a stand for an electronic device, as shown and described.

USPC **D14/447**

(58) **Field of Classification Search**

DESCRIPTION

USPC D14/447, 432, 434, 439, 440, 451, 452, D14/457, 239; D8/363, 373, 380, 406.3, D8/406.4, 406.5, 406.6; D12/415
CPC A47B 21/04; A47B 2097/006; A47B 2097/005; A47B 2023/049; A45C 2011/002; A45C 2011/003; F16M 2200/00; F16M 13/00

See application file for complete search history.

FIG. 1 is a front perspective view of a stand for an electronic device showing my new design, the stand is comprised of a kickstand and a base and the base is attachable to a back side of an electronic device or a protective case;
FIG. 2 is a rear perspective view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is a top plan view thereof;
FIG. 8 is a bottom plan view thereof;
FIG. 9 is a front perspective view of the stand with the kickstand rotated; and,
FIG. 10 is a front perspective view of the stand illustrating the electronic device in broken lines.
The broken line showing of environment is for illustrative purposes only and forms no part of the claimed design.


(56) **References Cited**

U.S. PATENT DOCUMENTS

D737,264 S * 8/2015 Shamsadov D14/251
9,179,565 B2 * 11/2015 Cho H05K 7/00
D748,639 S * 2/2016 Khodapanah D14/447
D749,083 S * 2/2016 Senoff D14/451
D756,366 S * 5/2016 Floersch D14/447
D765,662 S * 9/2016 Kang D14/251
D768,635 S * 10/2016 Due D14/432

(Continued)

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D773,325 S * 12/2016 Browning D10/74
D782,488 S * 3/2017 Kim D14/447
D782,489 S * 3/2017 Kim D14/447
2001/0040202 A1* 11/2001 Adams, IV A47K 1/09
248/206.2
2013/0146625 A1* 6/2013 Karle A45F 5/00
224/217
2017/0055660 A1* 3/2017 Tien A45C 11/00

FOREIGN PATENT DOCUMENTS

KR 30-0718509 11/2013
KR 30-0718509 3/2014
KR 30-0775347 12/2014
KR 10-20140123649 1/2015
KR 20-0476134 1/2015
KR 20-0476134 2/2015
KR 30-0657929 8/2015

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

