



US00D826073S

(12) **United States Design Patent** (10) **Patent No.:** **US D826,073 S**
Alkelai et al. (45) **Date of Patent:** **** Aug. 21, 2018**

(54) **MOTION DETECTOR**
(71) Applicant: **Risco Ltd.**, Rishon LeZion (IL)
(72) Inventors: **Moshe Alkelai**, Tel-Aviv (IL); **Zvi Ram**, Rehovot (IL)
(73) Assignee: **RISCO LTD.**, Rishon Lezion, IL (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/602,522**
(22) Filed: **May 1, 2017**
(51) **LOC (11) Cl.** **10-04**
(52) **U.S. Cl.**
USPC **D10/70; D10/106.8; D26/51**
(58) **Field of Classification Search**
USPC D10/70, 106.6, 106.8; D26/51, 122
CPC G01V 8/20; G08B 13/1645; G08B 13/16;
G08B 13/1609; G08B 13/1627; G08B
13/1618; G08B 13/1636; G08B 13/1654;
G08B 13/1663; G08B 13/1672; G08B
13/1681; G08B 13/16169; G08B 13/181;
G08B 13/183; G08B 13/184; G08B
13/186; G08B 13/187; G08B 13/189;
G08B 13/1895; G08B 13/19; G08B
13/191; G08B 13/193; G08B 17/12;
H03K 17/941; H03K 2017/9455; H03K
17/9505; H03K 17/9622; H03K 17/9627;
H05B 37/0227
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
D315,422 S 3/1991 Claytor et al.
D331,124 S 11/1992 Claytor
6,098,943 A 8/2000 Howard et al.
D516,445 S 3/2006 DiPasquale
7,321,120 B1* 1/2008 Gorman G08B 13/193
250/338.1

7,733,226 B2* 6/2010 Richard G08B 13/186
250/338.1
D628,103 S* 11/2010 Schmalz D10/106.6
D651,532 S* 1/2012 Li D10/70
8,123,419 B2* 2/2012 Cirker G03B 11/00
396/427
D656,840 S* 4/2012 Tacconi D9/443
D666,512 S 9/2012 Gresko et al.
8,258,478 B2* 9/2012 Walters G08B 29/18
250/342
8,258,949 B1* 9/2012 Jaynes G08B 15/001
340/332
D691,500 S* 10/2013 Ryan D10/106.8
D714,169 S* 9/2014 Wang D10/65
8,912,902 B1* 12/2014 Xu G08B 13/193
250/342
D764,335 S* 8/2016 Thornton D10/106.6
2008/0198010 A1 8/2008 Richard

* cited by examiner

Primary Examiner — Antoine Duval Davis
(74) *Attorney, Agent, or Firm* — Tarter Krinsky & Drogin LLP


(57) **CLAIM**

The ornamental design for a motion detector, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a motion detector, showing the new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a back elevation view thereof;
FIG. 4 is a left side elevation view thereof;
FIG. 5 is a right side elevation view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.
The broken lines shown in the drawings form no part of the claim and are for illustrative purposes only.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION


PATENT NO. : D826,073 S
APPLICATION NO. : 29/602522
DATED : August 21, 2018
INVENTOR(S) : Moshe Alkelai

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

(73) Assignee address: Please correct the Assignee's address to read: --Rishon Lezion (IL)--

Signed and Sealed this
Thirteenth Day of November, 2018



Andrei Iancu
Director of the United States Patent and Trademark Office