



US00D826138S

(12) **United States Design Patent** (10) **Patent No.:** **US D826,138 S**  
**Yamaoka** (45) **Date of Patent:** **\*\* Aug. 21, 2018**

(54) **TIRE FOR AUTOMOBILE**  
(71) Applicant: **SUMITOMO RUBBER INDUSTRIES, LTD.**, Hyogo (JP)  
(72) Inventor: **Hiroshi Yamaoka**, Kobe (JP)  
(\*\*) Term: **15 Years**

D598,365 S \* 8/2009 Tagashira ..... D12/517  
D613,235 S \* 4/2010 Kossi ..... D12/521  
D713,325 S \* 9/2014 Maxwell ..... D12/521  
D737,752 S \* 9/2015 Shondel ..... D12/521  
D789,870 S \* 6/2017 Dixon ..... D12/521  
D789,872 S \* 6/2017 Schoepner ..... D12/521  
D817,258 S \* 5/2018 Kikuchi ..... D12/521

\* cited by examiner

(21) Appl. No.: **35/503,467**  
(22) Filed: **Jan. 30, 2017**

*Primary Examiner* — George D. Kirschbaum  
*Assistant Examiner* — Joseph J Kukella

(80) **Hague Agreement Data**

Int. Filing Date: **Jan. 30, 2017**  
Int. Reg. No.: **DM/094531**  
Int. Reg. Date: **Jan. 30, 2017**  
Int. Reg. Pub. Date: **Aug. 4, 2017**

(57) **CLAIM**

The ornamental design for a tire for automobile, as shown and described.

(51) **LOC (11) Cl.** ..... **12-15**  
(52) **U.S. Cl.**  
USPC ..... **D12/521**  
(58) **Field of Classification Search**  
USPC ..... D12/505, 519, 521-524, 533-567  
CPC ..... B60C 11/0302; B60C 2011/0358; B60C  
2011/0374  
See application file for complete search history.

**DESCRIPTION**


- 1. Tire for automobile
- 1.1 : Front
- 1.2 : Back
- 1.3 : Top
- 1.4 : Bottom
- 1.5 : Right
- 1.6 : Left
- 1.7 : Perspective
- 1.8 : Enlarged

(56) **References Cited**


**U.S. PATENT DOCUMENTS**

D524,233 S \* 7/2006 Marazzi ..... D12/521  
D560,595 S \* 1/2008 Bindner ..... D12/521

**1 Claim, 8 Drawing Sheets**



**1.1**



1.2




1.3




1.4



1.5



1.6



1.7





1.8

