



US00D826299S

(12) **United States Design Patent**  
**Bailleres**

(10) **Patent No.:** **US D826,299 S**

(45) **Date of Patent:** **\*\* Aug. 21, 2018**

(54) <b>DRILL CORER</b>	2,484,365 A * 10/1949 Wilsher .....	E21B 10/00 175/415
(71) Applicant: <b>The State of Queensland Through Its Department of Primary Industries and Fisheries, Dutton Park, Queensland (AU)</b>	2,689,109 A * 9/1954 Curtis .....	E21B 10/56 175/413
	2,708,103 A * 5/1955 Williams, Jr. ....	E21B 10/48 175/227
	3,140,749 A * 7/1964 Dionisotti .....	E21B 10/58 175/418
(72) Inventor: <b>Henri Bailleres, Salisbury (AU)</b>	3,517,754 A * 6/1970 Hughes .....	E21B 17/073 173/104
(73) Assignee: <b>THE STATE OF QUEENSLAND THROUGH ITS DEPARTMENT OF AGRICULTURE AND FISHERIES (AU)</b>	4,848,454 A * 7/1989 Spears .....	E21B 31/107 166/108
	4,951,761 A * 8/1990 Peetz .....	E21B 10/445 175/394
(**) Term: <b>15 Years</b>	5,161,859 A * 11/1992 Larsson .....	B28D 1/188 299/111
	5,601,152 A * 2/1997 Harrison .....	E21B 7/24 175/246

(Continued)

(21) Appl. No.: **29/551,835**

(22) Filed: **Jan. 18, 2016**

(30) **Foreign Application Priority Data**

Jul. 17, 2015 (AU) ..... 201513564

(51) **LOC (11) Cl.** ..... **15-09**

(52) **U.S. Cl.**  
USPC ..... **D15/139**

(58) **Field of Classification Search**

USPC ..... D8/86; D15/132, 138, 139, 140  
CPC ..... E21B 10/36; E21B 10/38; E21B 10/46;  
E21B 10/48; E21B 10/56; E21B 25/02  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,752,388 A *	4/1930	McLaughlin .....	E21B 10/02 175/249
1,867,024 A *	7/1932	Oliver .....	E21B 10/04 175/249
1,870,696 A *	8/1932	Taylor .....	E21B 4/04 175/102

*Primary Examiner* — Patricia A Palasik

(74) *Attorney, Agent, or Firm* — Tarolli, Sundheim,  
Covell & Tummino LLP

(57) **CLAIM**

The ornamental design for a drill corer, as shown and described.

**DESCRIPTION**

FIG. 1 is a left side view of the drill corer;  
FIG. 2 is a cross sectional view of the drill corer taken along line 2-2 in FIG. 1.  
FIG. 3 is a top perspective view of the drill corer;  
FIG. 4 is a close-up side view of a tip end of the drill corer;  
FIG. 5 is a close-up bottom view of the tip end of the drill corer; and,  
FIG. 6 is a close-up perspective view of the tip end of the drill corer.  
The broken lines in the drawings depict unclaimed environmental subject matter.

**1 Claim, 2 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

6,698,981	B1 *	3/2004	Beno .....	B23B 51/06 408/227
6,799,648	B2 *	10/2004	Brandenberg .....	B22D 19/06 175/393
7,281,594	B2 *	10/2007	Hadin .....	E21B 10/36 175/320
7,296,641	B2 *	11/2007	Hadin .....	E21B 10/38 175/418
8,763,282	B2 *	7/2014	Brufau Guinovart .	B22D 19/06 37/460
8,960,336	B2 *	2/2015	Kersten .....	B23B 51/02 175/398
9,162,371	B2 *	10/2015	Miyanaga .....	B23B 51/00
2001/0013429	A1 *	8/2001	Hauptmann .....	B23B 51/02 175/395
2004/0065482	A1 *	4/2004	Larsson .....	E21B 10/003 175/414
2005/0025594	A1 *	2/2005	Lindblom .....	B23B 51/048 408/227
2009/0317202	A1 *	12/2009	Zhu .....	B23B 51/02 408/230
2010/0054884	A1 *	3/2010	Masuda .....	B23B 51/02 408/230
2012/0241223	A1 *	9/2012	Bise .....	E21B 10/38 175/428

\* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6