



US00D826299S

(12) **United States Design Patent**
Bailleres

(10) **Patent No.:** **US D826,299 S**

(45) **Date of Patent:** **** Aug. 21, 2018**

(54) DRILL CORER	2,484,365 A * 10/1949 Wilsher	E21B 10/00 175/415
(71) Applicant: The State of Queensland Through Its Department of Primary Industries and Fisheries, Dutton Park, Queensland (AU)	2,689,109 A * 9/1954 Curtis	E21B 10/56 175/413
	2,708,103 A * 5/1955 Williams, Jr.	E21B 10/48 175/227
	3,140,749 A * 7/1964 Dionisotti	E21B 10/58 175/418
(72) Inventor: Henri Bailleres, Salisbury (AU)	3,517,754 A * 6/1970 Hughes	E21B 17/073 173/104
(73) Assignee: THE STATE OF QUEENSLAND THROUGH ITS DEPARTMENT OF AGRICULTURE AND FISHERIES (AU)	4,848,454 A * 7/1989 Spears	E21B 31/107 166/108
	4,951,761 A * 8/1990 Peetz	E21B 10/445 175/394
(**) Term: 15 Years	5,161,859 A * 11/1992 Larsson	B28D 1/188 299/111
	5,601,152 A * 2/1997 Harrison	E21B 7/24 175/246

(Continued)

(21) Appl. No.: **29/551,835**

(22) Filed: **Jan. 18, 2016**

(30) **Foreign Application Priority Data**

Jul. 17, 2015 (AU) 201513564

(51) **LOC (11) Cl.** **15-09**

(52) **U.S. Cl.**
USPC **D15/139**

(58) **Field of Classification Search**

USPC D8/86; D15/132, 138, 139, 140
CPC E21B 10/36; E21B 10/38; E21B 10/46;
E21B 10/48; E21B 10/56; E21B 25/02
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,752,388 A *	4/1930	McLaughlin	E21B 10/02 175/249
1,867,024 A *	7/1932	Oliver	E21B 10/04 175/249
1,870,696 A *	8/1932	Taylor	E21B 4/04 175/102

Primary Examiner — Patricia A Palasik

(74) *Attorney, Agent, or Firm* — Tarolli, Sundheim,
Covell & Tummino LLP

(57) **CLAIM**

The ornamental design for a drill corer, as shown and described.

DESCRIPTION

FIG. 1 is a left side view of the drill corer;
FIG. 2 is a cross sectional view of the drill corer taken along line 2-2 in FIG. 1.
FIG. 3 is a top perspective view of the drill corer;
FIG. 4 is a close-up side view of a tip end of the drill corer;
FIG. 5 is a close-up bottom view of the tip end of the drill corer; and,
FIG. 6 is a close-up perspective view of the tip end of the drill corer.
The broken lines in the drawings depict unclaimed environmental subject matter.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,698,981 B1 * 3/2004 Beno B23B 51/06
408/227
6,799,648 B2 * 10/2004 Brandenburg B22D 19/06
175/393
7,281,594 B2 * 10/2007 Hadin E21B 10/36
175/320
7,296,641 B2 * 11/2007 Hadin E21B 10/38
175/418
8,763,282 B2 * 7/2014 Brufau Guinovart . B22D 19/06
37/460
8,960,336 B2 * 2/2015 Kersten B23B 51/02
175/398
9,162,371 B2 * 10/2015 Miyanaga B23B 51/00
2001/0013429 A1 * 8/2001 Hauptmann B23B 51/02
175/395
2004/0065482 A1 * 4/2004 Larsson E21B 10/003
175/414
2005/0025594 A1 * 2/2005 Lindblom B23B 51/048
408/227
2009/0317202 A1 * 12/2009 Zhu B23B 51/02
408/230
2010/0054884 A1 * 3/2010 Masuda B23B 51/02
408/230
2012/0241223 A1 * 9/2012 Bise E21B 10/38
175/428

* cited by examiner



Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6