



US00D826402S

(12) **United States Design Patent**
George et al.

(10) **Patent No.:** **US D826,402 S**
(45) **Date of Patent:** **** Aug. 21, 2018**

(54) **FETAL HEAD DISIMPACTOR**

(71) Applicants: **Samuel George**, Weybridge (GB);
Abdul Rahim Haloob, Brentwood (GB)

(72) Inventors: **Samuel George**, Weybridge (GB);
Abdul Rahim Haloob, Brentwood (GB)

(**) Term: **15 Years**

(21) Appl. No.: **29/540,620**

(22) Filed: **Sep. 25, 2015**

(30) **Foreign Application Priority Data**

Mar. 25, 2015 (EM) 002668368

(51) **LOC (11) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/133**

(58) **Field of Classification Search**
USPC D24/141, 215, 133, 200, 214
CPC A61H 19/44
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,136,679	A *	1/1979	Martinez Martinez	A61B 17/42 606/121
D414,265	S *	9/1999	Austin	D24/135
D453,377	S *	2/2002	Schollhorn	D24/135
D545,430	S *	6/2007	Tsaur	D24/119
D643,116	S *	8/2011	Harrington	D24/135
D643,532	S *	8/2011	Harrington	D24/135
D643,533	S *	8/2011	Harrington	D24/135
D674,089	S *	1/2013	Harrington	D24/135

(Continued)

Primary Examiner — Manpreet S Matharu
Assistant Examiner — Eliza Z Bennett-Hattan

(74) *Attorney, Agent, or Firm* — Howard & Howard
Attorneys PLLC

(57) **CLAIM**


We claim the ornamental design for a fetal head disimpactor, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the new design of a fetal head disimpactor, according to a first embodiment;
 FIG. 2 is a first side view of the new design of the fetal head disimpactor, shown in FIG. 1;
 FIG. 3 is a second side view of the new design of the fetal head disimpactor, shown in FIG. 1;
 FIG. 4 is a front view of the new design of the fetal head disimpactor, shown in FIG. 1;
 FIG. 5 is a rear view of the new design of the fetal head disimpactor, shown in FIG. 1;
 FIG. 6 is a top view of the new design of the fetal head disimpactor, shown in FIG. 1;
 FIG. 7 is a bottom view of the new design of the fetal head disimpactor, shown in FIG. 1;
 FIG. 8 is a perspective view of the new design of a fetal head disimpactor, according to a second embodiment;
 FIG. 9 is a first side view of the new design of the fetal head disimpactor, shown in FIG. 8;
 FIG. 10 is a second side view of the new design of the fetal head disimpactor, shown in FIG. 8;
 FIG. 11 is a front view of the new design of the fetal head disimpactor, shown in FIG. 8;
 FIG. 12 is a rear view of the new design of the fetal head disimpactor, shown in FIG. 8;
 FIG. 13 is a top view of the new design of the fetal head disimpactor, shown in FIG. 8; and,
 FIG. 14 is a bottom view of the new design of the fetal head disimpactor, shown in FIG. 8.

The broken lines shown in the figures depict environmental subject matter only and form no part of the claimed design.

1 Claim, 14 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2005/0192597 A1* 9/2005 Boebel A61B 17/0057
606/148
2006/0259065 A1* 11/2006 Maryanka A61B 17/24
606/199
2010/0185122 A1* 7/2010 Fausett A61B 5/1114
600/588
2011/0196382 A1* 8/2011 Barrier A61B 17/442
606/123
2017/0065298 A1* 3/2017 Harris A61B 17/442

* cited by examiner




FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7




FIGURE 8




FIGURE 9




FIGURE 10




FIGURE 11




FIGURE 12




FIGURE 13




FIGURE 14