



US00D826844S

(12) **United States Design Patent**
Yasunaga

(10) **Patent No.:** **US D826,844 S**

(45) **Date of Patent:** **** Aug. 28, 2018**

- (54) **TIRE**
- (71) Applicant: **Toyo Tire & Rubber Co., Ltd.**,
Osaka-shi, Osaka (JP)
- (72) Inventor: **Toshikazu Yasunaga**, Osaka (JP)
- (73) Assignee: **Toyo Tire & Rubber Co., Ltd.**, Osaka
(JP)

D768,565 S	*	10/2016	Yasunaga	D12/605
D769,806 S	*	10/2016	Yasunaga	D12/605
D790,451 S	*	6/2017	Sato	D12/605
D792,339 S	*	7/2017	Taniguchi	D12/605
D792,842 S	*	7/2017	Itoi	D12/605
D792,843 S	*	7/2017	Taniguchi	D12/605
D800,643 S	*	10/2017	Scheifele	D12/605
D803,149 S	*	11/2017	Ishikawa	D12/605
D806,009 S	*	12/2017	Ishikawa	D12/605
D806,643 S	*	1/2018	Yasunaga	D12/605
D808,333 S	*	1/2018	Iwabuchi	D12/605

(**) Term: **15 Years**

* cited by examiner

(21) Appl. No.: **29/587,625**

Primary Examiner — Robin Valery Webster

Assistant Examiner — Rachel A Voorhies

(22) Filed: **Dec. 14, 2016**

(74) *Attorney, Agent, or Firm* — Sterne, Kessler,
Goldstein & Fox P.L.L.C.

(30) **Foreign Application Priority Data**

Aug. 24, 2016 (JP) 2016-018027

(51) **LOC (11) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/605**

(58) **Field of Classification Search**
USPC D12/604–605, 500–501, 506, 534–538,
D12/569–573, 900; D5/30; D7/396.4,
D7/396.5
CPC B06C 13/00; B06C 1/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D191,041 S	*	8/1961	de S. Lauve	301/37.23
D569,336 S	*	5/2008	Onoe	D12/605
D584,682 S	*	1/2009	Tanaka	D12/605
D585,821 S	*	2/2009	Campana	D12/584
D590,332 S	*	4/2009	Sato	D12/605
D596,117 S	*	7/2009	Yonetsu	D12/605
D669,845 S		10/2012	Iwabuchi		
D759,575 S	*	6/2016	Yasunaga	D12/524


(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a tire showing the claimed design;
 FIG. 2 is a front view thereof;
 FIG. 3 is a rear view thereof;
 FIG. 4 is a top plan view thereof, the bottom plan view being the same;
 FIG. 5 is a left side view thereof, the right side view being the same;
 FIG. 6 is an enlarged view of the portion between 6-6 and 6'-6' in FIG. 2; and,
 FIG. 7 is an enlarged cross-sectional view taken along line 7-7 in FIG. 6.
 In the drawings, the broken lines showing portions of the tire tread, sidewall, inner bead depict portions of the tire that form no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7