



US00D827466S

(12) **United States Design Patent** (10) **Patent No.:** **US D827,466 S**
Marvin et al. (45) **Date of Patent:** **** Sep. 4, 2018**

(54) **REMOVABLY ATTACHABLE GPS MODULE FOR A PORTABLE LOCATOR**

(71) Applicant: **Merlin Technology, Inc.**, Kent, WA (US)

(72) Inventors: **Mark Marvin**, Tacoma, WA (US);
Brian Kelly, Summer, WA (US)

(73) Assignee: **MERLIN TECHNOLOGY, INC.**, Kent, WA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/584,050**

(22) Filed: **Nov. 10, 2016**

(51) **LOC (11) Cl.** **10-04**

(52) **U.S. Cl.**
 USPC **D10/80**

(58) **Field of Classification Search**

USPC D10/74, 65, 66, 70, 78, 80, 103
 CPC ... G01V 3/00; G01V 3/02; G01V 3/04; G01V 3/06; G01V 3/08; G01V 3/081; G01V 3/082; G01V 3/083; G01V 2003/084; G01V 2003/085; G01V 2003/086; G01V 3/087; G01V 3/088; G01V 3/10; G01V 3/101; G01V 3/102; G01V 3/104; G01V 3/105; G01V 3/107; G01V 3/108; G01V 3/12; G01V 3/14; G01V 3/15; G01V 3/16; G01V 3/165; G01V 3/17; G01V 3/175; G01V 3/18; G01V 3/20; G01V 3/22; G01V 3/24; G01V 3/26; G01V 3/265; G01V 3/28; G01V 3/30; G01V 3/32; G01V 3/34; G01V 3/36; G01V 3/38; G01V 3/40; G01V 8/00; G01V 8/005; G01V 8/02; G01V 8/10; G01V 8/12; G01V 8/14; G01V 8/16; G01V 8/18; G01V 8/20; G01V 8/22; G01V 8/24; G01V 8/26; G01V 9/00; G01V 9/002; G01V 9/005; G01V 9/007; G01V 9/02;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D643,321 S * 8/2011 Nielsen D10/80
 D727,179 S * 4/2015 Stancato D10/78
 9,891,337 B2 * 2/2018 Olsson G01V 3/02

* cited by examiner

Primary Examiner — Antoine Duval Davis

(74) *Attorney, Agent, or Firm* — Pritzkau Patent Group LLC

(57) **CLAIM**

The ornamental design for a removably attachable GPS module for a portable locator, as shown.


DESCRIPTION

FIG. 1 is a perspective view of the top of the removably attachable GPS module, taken generally from the rear;
 FIG. 2 is a top perspective view thereof, taken generally from the rear;
 FIG. 3 is a top perspective view thereof, taken generally from the rear and to one side;
 FIG. 4 is a bottom perspective view thereof, taken generally from above and toward the front;
 FIG. 5 is a left side view, in elevation, showing the GPS module installed on a portable locator, the right side elevational view is a mirror image of the left side;
 FIG. 6 is a top perspective view, taken generally from above and to the rear, showing the GPS module installed on the portable locator; and,
 FIG. 7 is a top view, in perspective, again taken generally from the side, showing the GPS module installed on the portable locator.

The broken lines in the figures form no part of the claimed design.

References to top, bottom, side, front and rear in the Figure Descriptions are not necessarily meant to require any spe-

(Continued)



cific orientation of the article as viewed. A GPS module according to the claimed design may be used in any orientation.

1 Claim, 5 Drawing Sheets

(58) **Field of Classification Search**

CPC G01V 11/00; G01V 11/002; G01V 11/005;
G01V 11/007

See application file for complete search history.

FIG.1





FIG.2






FIG.3




FIG.4




FIG.5




FIG.6




FIG.7