



US00D827472S

(12) **United States Design Patent**  
**Taylor et al.**

(10) **Patent No.:** **US D827,472 S**  
(45) **Date of Patent:** **\*\* Sep. 4, 2018**

(54) **VISUAL INDICATOR FOR ALARM UNIT**

(71) Applicant: **Tyco Fire & Security GmbH**,  
Neuhausen am Rheinfall (CH)

(72) Inventors: **Paul J. Taylor**, Woking (GB); **Faruk Meah**, Woking (GB); **Andreas Brenner**, Hohenkirchen (DE); **Jake Pearson**, Harlow (GB)

(73) Assignee: **Tyco Fire & Security GmbH**,  
Neuhausen am Rheinfall (CH)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/626,311**

(22) Filed: **Nov. 16, 2017**

(30) **Foreign Application Priority Data**

Nov. 30, 2016 (EP) ..... 003493139-0001  
Nov. 30, 2016 (EP) ..... 003493139-0002  
Nov. 30, 2016 (EP) ..... 003493139-0003

(51) **LOC (11) Cl.** ..... **10-05**

(52) **U.S. Cl.**  
USPC ..... **D10/121**; D10/106.5

(58) **Field of Classification Search**  
USPC ..... D10/104.1, 106.1, 106.2, 106.3, 106.5  
CPC ..... G08B 17/00; G08B 17/06; G08B 17/10;  
G08B 17/11; G08B 17/12; G08B 17/103;  
G08B 17/107  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D211,427 S \* 6/1968 Brubaker ..... D10/106.5  
D216,231 S \* 12/1969 Hauser ..... D10/106.5

D220,590 S \* 4/1971 Wolfe ..... D10/106.5  
D240,120 S \* 6/1976 Pasquarette ..... D10/106.5  
D249,481 S \* 9/1978 Conforti ..... D10/106.5  
D249,483 S \* 9/1978 Conforti ..... D10/106.5  
D306,409 S \* 3/1990 Fish ..... D10/106.5  
D340,416 S 10/1993 Fenne  
D426,482 S \* 6/2000 Sakurai ..... D10/106.5  
D700,095 S 2/2014 Dohi et al.  
D757,585 S 5/2016 Hojmose  
D769,756 S 10/2016 Hojmose  
D773,947 S 12/2016 Scarcella et al.  
D805,940 S \* 12/2017 Taylor ..... D10/106.5  
2008/0018485 A1 1/2008 Kadwell et al.

\* cited by examiner

*Primary Examiner* — George D Kirschbaum

*Assistant Examiner* — Joseph J Kukella

(74) *Attorney, Agent, or Firm* — HoustonHogle LLP

(57) **CLAIM**


The ornamental design for a visual indicator for alarm unit, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a visual indicator for an alarm unit in accordance with the present invention;  
FIG. 2 is front side view thereof;  
FIG. 3 is right side view thereof;  
FIG. 4 is left side view thereof;  
FIG. 5 is rear side view thereof;  
FIG. 6 is bottom view thereof; and,  
FIG. 7 is top view thereof.

The features shown in broken lines in the various figures are for illustrating environmental structure and form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7