



US00D827587S

(12) **United States Design Patent** (10) **Patent No.:** **US D827,587 S**
Hung (45) **Date of Patent:** **** Sep. 4, 2018**

(54) **LINE SWITCH**

(71) Applicant: **Huiyang Zing Ear Industry Co., Ltd.**,
Huizhou, Guangdong Province OT (CN)

(72) Inventor: **Tang-Yueh Hung**, Taichung (TW)

(73) Assignee: **HUIYANG ZING EAR INDUSTRY**
CO., LTD., Huizhou (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/615,733**

(22) Filed: **Aug. 30, 2017**

(51) **LOC (11) Cl.** **13-03**

(52) **U.S. Cl.**

USPC **D13/171; D13/168**

(58) **Field of Classification Search**

USPC D13/137.3, 137.4, 138.1, 139.6, 139.7,
D13/158, 160, 168, 170, 171

CPC H01H 9/0228; H01H 9/0235; H05B
33/0845; H05B 37/02; H05B 37/0272;
H05B 39/08; H02H 11/005

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D307,579 S * 5/1990 Layne D13/137.3
D351,375 S * 10/1994 Nagele D13/171
D391,922 S * 3/1998 Aromin D13/160
6,255,613 B1 * 7/2001 Yang H01H 9/0228
200/553
D465,476 S * 11/2002 Golding D14/223
D494,571 S * 8/2004 Polito D14/223
D499,086 S * 11/2004 Polito D14/218
D520,464 S * 5/2006 Strong D13/171
D524,295 S * 7/2006 Jacobson D14/218
D548,728 S * 8/2007 Yoshiyama D14/218
D585,428 S * 1/2009 Ikeda D13/168
D626,921 S * 11/2010 Pang D13/158

D633,447 S * 3/2011 Schaal D13/168
D637,178 S * 5/2011 Chiu D14/218
8,008,628 B2 * 8/2011 Boucly A61B 6/145
250/370.09
8,294,372 B2 * 10/2012 Yang H05B 37/0281
315/133
D726,130 S * 4/2015 Burgett D13/171
D743,381 S * 11/2015 Pi D14/218
9,320,115 B2 * 4/2016 Quaal H05B 37/0227
9,332,615 B1 * 5/2016 Peng H01H 9/0228
9,456,479 B1 * 9/2016 Peng H01H 19/08
D783,546 S * 4/2017 Peng D13/170
D786,825 S * 5/2017 Shifron D14/206
2008/0013225 A1 * 1/2008 Hung H02H 11/005
361/18
2008/0204956 A1 * 8/2008 Hung H05B 39/08
361/91.1
2012/0305375 A1 * 12/2012 Kwok H01H 1/5866
200/293
2015/0109721 A1 * 4/2015 Willcocks H05B 37/0272
361/679.01

(Continued)

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Guice Patents PLLC

(57)

CLAIM

The ornamental design for a line switch, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the line switch;

FIG. 2 is a front view of FIG. 1;

FIG. 3 is a rear view of FIG. 1;

FIG. 4 is a left side view of FIG. 1;


FIG. 5 is a right side view of FIG. 1;

FIG. 6 is a top view of FIG. 1; and,

FIG. 7 is a bottom view of FIG. 1.

The wire is shown broken away in the drawings to indicate indeterminate length, it being understood that it has a uniform shape and appearance throughout its length.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2016/0380424 A1* 12/2016 Aromin H02H 3/162
361/50
2017/0140884 A1* 5/2017 Peng H01H 1/5805

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 5




Fig. 4




Fig. 6




Fig. 7