



US00D827646S

(12) **United States Design Patent**
Mitchell

(10) **Patent No.:** **US D827,646 S**

(45) **Date of Patent:** **** Sep. 4, 2018**

(54) **DATA INPUT DEVICE**

(71) Applicant: **Wacom Co., Ltd.**, Kazo-shi, Saitama (JP)

(72) Inventor: **Giles Thomas Mitchell**, Setagaya-ku (JP)

(73) Assignee: **Wacom Co., Ltd.**, Kazo-shi (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/583,759**

(22) Filed: **Nov. 8, 2016**

(30) **Foreign Application Priority Data**

Jun. 23, 2016 (JP) 2016-013360

(51) **LOC (11) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/389**; D14/454

(58) **Field of Classification Search**

USPC D14/388, 389, 390, 318, 341, 342, 356,
D14/218, 454, 455, 299, 496, 432, 434,
D14/457, 458; D21/324, 329, 333;
D13/162, 164, 168; D10/46, 61, 65;
D19/59-61, 113; D20/10, 11, 19, 99
CPC G06F 3/041; G06F 3/0412; G06F 3/0414;
G06F 3/0416; G06F 3/044; G06F
2203/0338; G06F 1/1669

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D346,591 S * 5/1994 Lee D14/342
D359,036 S * 6/1995 Mandel D14/458
D362,662 S * 9/1995 Baudot D14/389
D364,389 S * 11/1995 Shimizu D14/389
5,542,637 A * 8/1996 Schriener G06F 3/0395
206/576
D395,639 S * 6/1998 Ham D14/389

D432,137 S * 10/2000 Holtzman D14/458
D451,505 S * 12/2001 Iseki D14/341
D461,802 S * 8/2002 Tu D14/341
D462,679 S * 9/2002 Liu D14/341
D464,345 S * 10/2002 Liu D14/341
D466,114 S * 11/2002 Nakata D14/339

(Continued)

FOREIGN PATENT DOCUMENTS

JP D1217679 S 9/2004
JP D1267830 S 4/2006
JP D1267831 S 4/2006

Primary Examiner — Susan B Hattan

Assistant Examiner — Marie D. Fast Horse

(74) *Attorney, Agent, or Firm* — Christensen O'Connor Johnson Kindness PLLC

(57) **CLAIM**

The ornamental design for a data input device, as shown and described.

DESCRIPTION

FIG. 1 is a front bottom right perspective view of a data input device according to a representative embodiment of my new design;

FIG. 2 is a rear top left view of the data input device;

FIG. 3 is a rear bottom right view of the data input device;

FIG. 4 is a bottom view of the data input device;

FIG. 5 is a top view of the data input device;

FIG. 6 is a left side view of the data input device;

FIG. 7 is a right side view of the data input device;


FIG. 8 is a front view of the data input device; and,

FIG. 9 is a rear view of the data input device.

The broken lines shown as dashed lines depict portions of the data input device that form no part of the claimed design.

The broken lines shown as dash-dot lines define boundaries of the claimed design and form no part thereof.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D501,473	S	*	2/2005	Nakata	D14/341
D506,195	S	*	6/2005	Leveridge	D14/336
D519,997	S	*	5/2006	Hirota	D14/341
D521,558	S	*	5/2006	Shimizu	D19/113
D525,621	S	*	7/2006	Hirota	D14/346
D534,215	S	*	12/2006	Nakata	D19/113
D570,356	S	*	6/2008	Ikeda	D14/454
D589,961	S	*	4/2009	Hackenberg	D14/388
D602,022	S	*	10/2009	Heck	D14/388
D631,880	S		2/2011	Hirota		
D631,894	S	*	2/2011	Chun	D14/203.1
D642,562	S	*	8/2011	Kato	D14/341
D651,605	S	*	1/2012	Bouaziz	D14/434
D684,157	S	*	6/2013	Chan	D14/434
D695,750	S	*	12/2013	Ehrlich	D14/457
D714,779	S	*	10/2014	Lee	D14/315
D715,291	S	*	10/2014	Cacioppo	D14/341
D718,308	S	*	11/2014	Nishizawa	D14/389
D724,581	S	*	3/2015	Johnson	D14/341
D726,724	S	*	4/2015	Wahlqvist	D14/390
D754,008	S	*	4/2016	Huebner	D10/65
D762,215	S	*	7/2016	Luttrell	D14/388
D768,128	S	*	10/2016	Cho	D14/341
D773,456	S	*	12/2016	Mitchell	D10/65
D786,254	S	*	5/2017	Yum	D14/138 G
9,746,964	B2	*	8/2017	Rosenberg	G06F 3/0418
2015/0091858	A1	*	4/2015	Rosenberg	G06F 3/0414 345/174
2015/0378492	A1	*	12/2015	Rosenberg	G06F 3/0414 345/174

* cited by examiner




Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.




Fig. 7.

Fig. 8.




Fig. 9.

