



US00D827937S

(12) **United States Design Patent** (10) **Patent No.:** **US D827,937 S**
Lussier et al. (45) **Date of Patent:** **** Sep. 4, 2018**

(54) **VISOR LENS**

(56) **References Cited**

(71) Applicant: **Revision Military S.a.r.L.**,
Luxembourg (LU)
(72) Inventors: **Pierre-Luc Lussier**, Longueuil (CA);
Marie-Pierre Gendron, Mercier (CA);
Stéphane Lebel, St. Redempteur (CA);
Dominic Giroux Bernier, Montreal
(CA)
(73) Assignee: **Revision Military S.a.r.L.**,
Luxembourg (LU)

U.S. PATENT DOCUMENTS

D322,975 S	1/1992	Bolle	
D331,763 S	12/1992	Jannard	
5,328,410 A	7/1994	Amburgey et al.	
D417,756 S	12/1999	Crupi et al.	
D474,800 S	5/2003	Hou	
D533,889 S	12/2006	Saderholm et al.	
D556,244 S	11/2007	Tsai	
D616,485 S	5/2010	Thixton	
D637,643 S	5/2011	Lebel	
D639,845 S *	6/2011	Fuchs	D16/315
D648,770 S *	11/2011	Yang	D16/315

(Continued)

(**) Term: **15 Years**

(21) Appl. No.: **29/591,884**

(22) Filed: **Jan. 25, 2017**

OTHER PUBLICATIONS

Wileyx Saber Advanced Spec Sheet. Copyright 2010. 1 page.
U.S. Appl. No. 29/494,694, filed Jun. 23, 2014, Lussier et al.

Primary Examiner — Randall H Gholson
(74) *Attorney, Agent, or Firm* — Wolf, Greenfield &
Sacks, P.C.

Related U.S. Application Data

(62) Division of application No. 29/494,694, filed on Jun.
23, 2014, now Pat. No. Des. 782,744.

(51) **LOC (11) Cl.** **29-02**

(52) **U.S. Cl.**
USPC **D29/122**

(58) **Field of Classification Search**

USPC D29/100, 102, 106, 108, 110, 122;
D2/865, 880, 881; 2/455, 456, 410, 7,
2/8.2, 424, 425, 9, 468, 171, 205, 206;
128/201.23, 857
CPC A41D 13/05; A41D 13/11; A41D 13/1107;
A41D 13/1161; A41D 13/113; A41D
13/1138; A41D 13/1146; A42B 3/18;
A42B 3/20; A42B 3/205; A42B 3/32;
A42B 3/326; A42B 3/00; A42B 3/04;
A42B 3/0406; A42B 3/08; A42B 3/085;
A42B 1/008; A61F 9/06; A63B 71/08;
A63B 7/085; A63B 71/10; A63B 71/12;
A63B 71/1291

See application file for complete search history.


(57) **CLAIM**

The ornamental design for a visor lens, as shown and
described.

DESCRIPTION

FIG. 1 is a top, front, and right side perspective view of a
visor lens showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.
The broken line showings of the helmet in FIGS. 1-7
illustrate the environment of the claimed design and form no
part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D653,697 S	2/2012	Taylor et al.	
D675,663 S	2/2013	Stanley et al.	
D691,192 S	10/2013	Stanley et al.	
8,555,424 B2 *	10/2013	Higgins A42B 3/223 2/15
D734,559 S *	7/2015	Noordzij D29/110
D744,565 S *	12/2015	Thixton D16/101

* cited by examiner




FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7