



US00D828180S

(12) **United States Design Patent** (10) **Patent No.:** **US D828,180 S**
Sam (45) **Date of Patent:** **** Sep. 11, 2018**

(54) **CONTAINER BAG WITH MULTIPLE SEALABLE LOCKS AND POCKETS**

D741,197 S * 10/2015 Sam D9/709
D783,416 S * 4/2017 Bray D9/709
D784,158 S * 4/2017 Bray D9/709

(71) Applicant: **Bassam Abed Sam**, Bakersfield, CA (US)

* cited by examiner

(72) Inventor: **Bassam Abed Sam**, Bakersfield, CA (US)

Primary Examiner — Abraham Bahta

(74) *Attorney, Agent, or Firm* — Z IP Law PLLC; Claire Zopf

(**) Term: **15 Years**

(21) Appl. No.: **29/554,335**

(22) Filed: **Feb. 10, 2016**

(51) **LOC (11) Cl.** **09-05**

(52) **U.S. Cl.**
USPC **D9/702**

(58) **Field of Classification Search**
USPC D9/702–714, 414–415, 417–418, 737, D9/424, 430–433, 730–732, 756, 761; D7/549, 553.2, 590, 602; D3/201, 203.1, D3/203.3, 303, 202; 206/527, 4.27, 807, 206/260, 811, 103, 203, 207; 220/23.4, 220/500, 666; 229/120.02, 120.011, 229/87.06; 426/114–115, 119, 120; 222/92, 107, 215, 206
CPC B65D 85/00; B65D 75/00; B65D 33/00; B65D 33/04; B65D 33/24; B65D 33/16; B65D 33/12; B65D 33/008; B65D 25/04
See application file for complete search history.

(57) **CLAIM**

The ornamental design for a container bag with multiple sealable locks and pocket, as shown and described.

DESCRIPTION


FIG. 1 is a perspective view of a first embodiment of the container bag with multiple sealable locks and pockets; FIG. 2 is a front view thereof; FIG. 3 is a side view thereof; FIG. 4 is a front view thereof, illustrating that the detachable connection portion between the two pockets has been torn apart to separate the two pockets to form two bags; FIG. 5 is a perspective view thereof, illustrating one of the sealable locks is in opened condition; FIG. 6, is a perspective view thereof, illustrating that the detachable connection portion between the two pockets is tearing apart to separate the two pockets; FIG. 7 is a perspective view of the second embodiment of the container bag with multiple sealable locks and pockets; FIG. 8 is a front view of FIG. 7; and, FIG. 9 is a front view of FIG. 7, illustrating that the detachable connection portion between the two pockets has been torn apart to separate the two pockets to form two bags. The broken line portion of the figure drawings is included to show unclaimed subject matter only and forms no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D483,256 S * 12/2003 Thurston D9/663
D563,241 S * 3/2008 Nimey D9/705
D601,038 S * 9/2009 Middleton-Schluter D9/709
D642,069 S * 7/2011 LaFauci D9/707
D660,179 S * 5/2012 Bray D9/707
D739,263 S * 9/2015 Sam D9/709

1 Claim, 9 Drawing Sheets






FIG.1




FIG.2




FIG. 3




FIG.4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9