



US00D828234S

(12) **United States Design Patent** (10) **Patent No.:** **US D828,234 S**
Hoehn et al. (45) **Date of Patent:** **** Sep. 11, 2018**

(54) **DRIVE COVER**

(71) Applicant: **Oronoko Ironworks, Inc.**, Baroda, MI (US)

(72) Inventors: **Richard Timothy Hoehn**, Decatur, IN (US); **Richard Riley, III**, Gailen, MI (US)

(73) Assignee: **Oronoko Ironworks**, Baroda, MI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/603,748**

(22) Filed: **May 11, 2017**

(51) **LOC (11) Cl.** **12-11**

(52) **U.S. Cl.**
USPC **D12/114; D15/138**

(58) **Field of Classification Search**
USPC D12/114, 400, 425, 190, 126; D24/123;
D8/330, 353; D15/131, 138, 141,
D15/150-152; D7/354, 387; D11/155
CPC B23Q 11/00; B24D 7/066; E21B 12/00;
B02C 4/32
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D265,308 S * 7/1982 Zimmer, Jr. 180/69.1
D305,393 S * 1/1990 Stewart D7/360
D340,250 S * 10/1993 Lux, Jr. D15/150
D370,227 S * 5/1996 Mosley D15/150
D431,958 S * 10/2000 Harris D7/354
D449,838 S * 10/2001 Rothlisberger D12/114
D460,680 S * 7/2002 Weinerman D8/306
D551,492 S * 9/2007 Schuler D7/354
D581,203 S * 11/2008 Simon et al. D7/354

D581,204 S * 11/2008 Simon et al. D7/354
D583,615 S * 12/2008 Simon et al. D7/354
D585,722 S * 2/2009 Stuckey D8/313
D585,723 S * 2/2009 Stuckey D8/313
D599,610 S * 9/2009 Logan D7/354
D607,688 S * 1/2010 Hart et al. D7/354
D637,636 S * 5/2011 Liao D15/150
D641,385 S * 7/2011 Armstrong D15/150
D653,901 S * 2/2012 Sarnoff et al. D7/354
D660,221 S * 5/2012 Barram D12/400
D660,892 S * 5/2012 Tomlinson D15/152
D676,704 S * 2/2013 Henry D7/354
D719,057 S * 12/2014 Wagner D11/155
D731,230 S * 6/2015 Librus D7/354
D762,083 S * 7/2016 Librus D7/354
D778,970 S * 2/2017 Levy D15/150
D784,067 S * 4/2017 Keating D7/354
D793,817 S * 8/2017 Chen et al. D7/602

* cited by examiner

Primary Examiner — George D Kirschbaum

Assistant Examiner — Clese Moore, Jr.

(74) *Attorney, Agent, or Firm* — Babcock IP, PLLC

(57) **CLAIM**

The ornamental design for a drive cover, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a drive cover showing an embodiment of our new design;

FIG. 2 is a back view thereof;

FIG. 3 is a front view thereof;


FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7