



US00D828302S

(12) **United States Design Patent** (10) **Patent No.:** **US D828,302 S**
Smith (45) **Date of Patent:** **** Sep. 11, 2018**

(54) **FLOOR OUTLET**

(71) Applicant: **Jeff Smith**, Southampton, NY (US)

(72) Inventor: **Jeff Smith**, Southampton, NY (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/586,104**

(22) Filed: **Nov. 30, 2016**

(51) **LOC (11) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/139.4**

(58) **Field of Classification Search**

USPC D14/432, 433, 435.1, 196, 496, 199;
D13/103, 108, 109, 110, 133,
D13/137.1–137.4, 138.1–138.2,
D13/139.1–139.8, 146, 147, 151,
D13/152–156, 173, 177, 162, 158, 184,
D13/107, 139.4; D8/350, 353–356, 358,
D8/402, 403; D25/108, 122, 124, 119,
D25/121; D23/259, 262; D21/699
CPC H01R 25/00; H01R 25/006; H01R 25/003;
H01R 13/5845; H01R 13/72; H01R
13/46; H01R 31/06; H01R 24/28; H01R
11/00; H01R 9/00; H01B 7/2806; H02J
2007/0062

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D265,986 S * 8/1982 Wearsch D13/152
D408,015 S * 4/1999 Faucher D13/152
D465,201 S * 11/2002 Gershfeld D13/139.4
D478,553 S * 8/2003 Heggem D13/152
6,610,927 B2 * 8/2003 Dinh H02G 3/088
174/66
D495,301 S * 8/2004 Newell D13/152

(Continued)

Primary Examiner — Rosemary K Tarcza

Assistant Examiner — Christy M Nemeth

(74) *Attorney, Agent, or Firm* — Womble Bond Dickinson
(US) LLP

(57) **CLAIM**

The ornamental design for a floor outlet, as shown and described.

DESCRIPTION

FIG. 1 is a front, side perspective view of a floor outlet, with the cover in the open position;

FIG. 2 is a front, side perspective view thereof, with the cover in the closed position;

FIG. 3 is a top plan view thereof, with the cover in the open position;

FIG. 4 is a top plan view thereof, with the cover in the closed position;

FIG. 5 is a bottom plan view thereof, with the cover in the open position;

FIG. 6 is a bottom plan view thereof, with the cover in the closed position;

FIG. 7 is a front elevation view thereof, with the cover in the open position;

FIG. 8 is a front elevation view thereof, with the cover in the closed position;

FIG. 9 is a rear elevation view thereof, with the cover in the open position;

FIG. 10 is a rear elevation view thereof, with the cover in the closed position;

FIG. 11 is a right-side elevation view thereof, with the cover in the open position;



FIG. 12 is a right-side elevation view thereof, with the cover in the closed position;

FIG. 13 is a left-side elevation view thereof, with the cover in the open position; and,

FIG. 14 is a left-side elevation view thereof, with the cover in the closed position.

The broken lines in the drawings are for the purpose of illustrating portions of the floor outlet that form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D507,241 S *	7/2005	Koessler	D13/152
7,157,643 B2 *	1/2007	Drane	H01R 25/006
			174/66
D559,788 S *	1/2008	Dinh	D13/152
7,614,889 B1 *	11/2009	Black	H01R 13/5213
			174/67
D605,139 S *	12/2009	Moore	D13/156
D658,588 S *	5/2012	Justice	D13/156
D684,935 S *	6/2013	DeCosta	D13/152
D685,329 S *	7/2013	Byrne	D13/139.4
D722,569 S *	2/2015	Osborne	D13/152
D773,990 S *	12/2016	Murphy	D13/107
9,653,860 B2 *	5/2017	Hestrin	H01R 25/006

* cited by examiner




FIG. 1




FIG. 2




FIG. 5




FIG. 6




FIG. 3




FIG. 4




FIG. 9




FIG. 10




FIG. 7




FIG. 8




FIG. 11




FIG. 12

FIG. 13




FIG. 14