



US00D828551S

(12) **United States Design Patent** (10) **Patent No.:** **US D828,551 S**
Zou et al. (45) **Date of Patent:** **** Sep. 11, 2018**

(54) **VERESS NEEDLE CAP**

(71) Applicant: **Global Resources International Inc.,**
Flowery Branch, GA (US)

(72) Inventors: **Qing Yu Zou**, Jiaxing (CN); **David Wayne Watermeier**, Knoxville, TN (US); **Jiening Liu**, Buford, GA (US)

(73) Assignee: **Global Resources International, Inc.,**
Flowery Branch, GA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/613,948**

(22) Filed: **Aug. 15, 2017**

(51) **LOC (11) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/130**

(58) **Field of Classification Search**
USPC D24/127–131, 112–114, 133, 186;
606/181, 185; 604/264, 523–528, 272,
604/187, 158, 164.01–164.11, 181, 184,
604/227; 600/101, 139, 143;
128/200.24, 207.14, 207.15
CPC A61B 17/3474; A61M 5/178; A61M 3/00;
A61M 5/20; A61M 5/31; A61M 5/3146;
A61M 5/3129; A61M 5/3148; A61M
5/315

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,835,835 A * 9/1974 Thompson A61B 5/15003
600/575
5,098,388 A * 3/1992 Kulkashi A61B 17/3496
604/158
5,669,883 A * 9/1997 Scarfone A61B 17/3417
604/158
5,830,152 A * 11/1998 Tao A61B 10/0233
600/562

D411,882 S * 7/1999 Minasian D24/130
6,120,482 A * 9/2000 Szabo A61M 5/3216
128/919
D505,200 S * 5/2005 Simpson D24/114
8,523,817 B2 * 9/2013 Mohajer A61B 17/3474
604/158
8,838,206 B2 * 9/2014 Mohajer A61B 17/3474
600/424
D720,069 S * 12/2014 Kaercher D24/133
D720,070 S * 12/2014 Khalaj D24/133

(Continued)

Primary Examiner — David Muller

(74) *Attorney, Agent, or Firm* — Withers & Keys, LLC


(57) **CLAIM**

The ornamental design for a veress needle cap, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a veress needle cap showing our new design;
FIG. 2 is a frontal view of the veress needle cap shown in FIG. 1;
FIG. 3 is a rear view of the veress needle cap shown in FIG. 1;
FIG. 4 is a right-side view of the veress needle cap shown in FIG. 1;
FIG. 5 is a left-side view of the veress needle cap shown in FIG. 1;
FIG. 6 is a top view of the veress needle cap shown in FIG. 1;
FIG. 7 is a bottom view of the veress needle cap shown in FIG. 1; and,
FIG. 8 is a side view of the veress needle cap shown in FIG. 1 in use and positioned over an end portion of a veress needle.
The dashed broken lines shown in the drawings illustrate portions of the veress needle cap that forms no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D816,832 S	*	5/2018	Ho		D24/128
D817,482 S	*	5/2018	Howell		D24/112

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8