



US00D828569S

(12) **United States Design Patent** (10) **Patent No.:** **US D828,569 S**
Mercurio (45) **Date of Patent:** **** Sep. 11, 2018**

(54) **FACIAL THERMAL-PACK HOLDER**
(71) Applicant: **John Mercurio**, Anaheim, CA (US)
(72) Inventor: **John Mercurio**, Anaheim, CA (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/578,818**
(22) Filed: **Sep. 24, 2016**
(51) **LOC (11) Cl.** **24-04**
(52) **U.S. Cl.**
USPC **D24/191; D24/206**
(58) **Field of Classification Search**
USPC D24/110.1, 183, 190-192, 206-208, 231;
D29/106, 108, 110; D6/601
CPC A61M 16/06; A61M 16/0683; A61M
16/0633; A61B 5/6814; A61G 13/121;
A61G 13/12; A61G 2200/325; A61G
7/072; A61G 13/101; A61F 5/3707; A61F
7/02; A61F 2007/0054; A61F 7/0085;
A61F 2007/0056; A61F 2007/0002; A61F
2007/0007
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
1,569,877 A 1/1926 Owens
1,964,655 A 6/1934 Williamson
2,039,681 A 5/1936 Chatfield
2,122,001 A 6/1938 Carel
3,134,891 A 5/1964 Hyer
3,572,329 A 3/1971 DeWoskin
3,889,684 A 6/1975 Lebold
4,614,189 A 9/1986 MacKenzie
4,658,811 A 4/1987 Beaird
D290,512 S * 6/1987 Bagg D24/207
5,109,841 A 5/1992 Hubbard et al.
5,119,812 A 6/1992 Angelo
5,188,103 A 2/1993 Smith
D393,904 S * 4/1998 Miura D24/206

5,879,379 A 3/1999 Mason et al.
D407,821 S * 4/1999 Steele D24/190
5,984,951 A 11/1999 Weiss et al.
6,039,710 A * 3/2000 Kelley A45D 44/22
128/857
6,126,683 A * 10/2000 Momtaheni A61F 5/34
602/13
6,261,314 B1 7/2001 Rich
6,277,053 B1 * 8/2001 Desembrana A61N 2/06
482/11
6,451,046 B1 9/2002 Leo et al.
6,537,308 B2 * 3/2003 Burkhart A61F 7/02
2/171.2

(Continued)

Primary Examiner — George D. Kirschbaum
Assistant Examiner — Jennifer Watkins
(74) *Attorney, Agent, or Firm* — Quickpatents, LLC;
Kevin Prince



(57) **CLAIM**

I claim the ornamental design for a facial thermal-pack holder, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a facial thermal-pack holder, showing my new design as worn by a person; FIG. 2 is a right-side elevational view of FIG. 1; FIG. 3 is a rear perspective view thereof; FIG. 4 is a front perspective view thereof; FIG. 5 is a rear elevational view thereof; FIG. 6 is a front elevational view thereof; FIG. 7 is a bottom plan view thereof; FIG. 8 is a top plan view thereof; FIG. 9 is a right-side elevational view thereof; and, FIG. 10 is a left-side elevational view thereof. The broken lines showing a person in FIGS. 1 and 2 depict environmental matter and form no part of the claimed design. The remaining broken lines represent stitching, and are part of the claimed design.

1 Claim, 6 Drawing Sheets




(56)

References Cited

U.S. PATENT DOCUMENTS

6,562,060 B1 5/2003 Momtaheni
7,000,615 B2 * 2/2006 Taylor-Kennedy A61F 5/56
128/857
D550,849 S * 9/2007 Baker D24/191
8,205,283 B1 * 6/2012 Russell B60N 2/882
5/636
D685,915 S * 7/2013 Reams A61F 5/3707
D24/191
D690,020 S * 9/2013 Quimby D24/191
D745,693 S * 12/2015 Burgess D24/207
D767,777 S * 9/2016 Qin D24/207
2001/0051820 A1 12/2001 Rich
2002/0052569 A1 5/2002 Horning
2004/0122495 A1 6/2004 Peterman et al.
2004/0138729 A1 7/2004 Ladmer
2005/0222654 A1 10/2005 Brown
2005/0278008 A1 12/2005 Ladmer
2007/0282406 A1 12/2007 Dow
2008/0103568 A1 5/2008 Dow

* cited by examiner






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7



FIG. 8




FIG. 9




FIG. 10