



US00D828740S

(12) **United States Design Patent** (10) **Patent No.:** **US D828,740 S**
Levand et al. (45) **Date of Patent:** **** Sep. 18, 2018**

(54) **MULTI-TOOL WITH BIT SLOT** 5,956,799 A * 9/1999 Panaccione A47L 13/022
15/143.1
(71) Applicant: **THE SHERWIN-WILLIAMS** 6,009,581 A 1/2000 Davis
COMPANY, Cleveland, OH (US) D420,887 S * 2/2000 Chen D7/395
6,131,222 A * 10/2000 Anderson B25F 1/003
7/105
(72) Inventors: **Victor J. Levand**, Lyndhurst, OH (US); 6,131,290 A 10/2000 Chiou
Sharad Gaurav, Lakewood (IN); 6,182,317 B1 2/2001 Huang
Sarah Bridget Mulroy, Rocky River, D444,692 S * 7/2001 Marquardt D7/395
OH (US); **Joshua R. Robertson**, North D446,104 S 8/2001 Chen
Ridgeville, OH (US); **Edward Ray** D456,236 S 4/2002 Norton
Goodwin, Jr., Westlake, OH (US);
Randi Boss, Avon Lake, OH (US);
Michael C. Lambertson, Jr., Aurora, OH (US)
(Continued)

Primary Examiner — Philip S Hyder
(74) *Attorney, Agent, or Firm* — Tucker Ellis LLP; Carlos Garritano

(73) Assignee: **The Sherwin-Williams Company,**
Cleveland, OH (US)

(57) **CLAIM**

The ornamental design for a multi-tool with bit slot, as shown and described.

(**) Term: **15 Years**

DESCRIPTION


(21) Appl. No.: **29/591,135**
(22) Filed: **Jan. 17, 2017**
(51) **LOC (11) Cl.** **08-05**
(52) **U.S. Cl.**
USPC **D8/107; D8/45**
(58) **Field of Classification Search**
USPC D8/45, 107, 14, 82, 83; D4/138;
D7/395; D32/46, 49, 52
CPC B25G 1/105; B25G 1/102; B25G 1/125;
B25F 1/00; Y10T 16/44; Y10T 16/498
See application file for complete search history.

FIG. 1 is a top front perspective view of an embodiment of a multi-tool with bit slot showing a new design; FIG. 2 is a top rear perspective view of the multi-tool as illustrated in FIG. 1; FIG. 3 is a bottom rear perspective view of the multi-tool as illustrated in FIG. 1; FIG. 4 is a top view of the multi-tool illustrated in FIG. 1; FIG. 5 is a bottom view of the multi-tool illustrated in FIG. 1; FIG. 6 is a front view of the multi-tool illustrated in FIG. 1; FIG. 7 is a rear view of the multi-tool illustrated in FIG. 1; FIG. 8 is a left side view of the multi-tool illustrated in FIG. 1; and, FIG. 9 is a right side view of the multi-tool illustrated in FIG. 1. The broken lines depict portions of the multi-tool with bit slot in which the design is embodied that are not considered part of the claimed design.

(56) **References Cited**
U.S. PATENT DOCUMENTS

4,620,369 A 11/1986 Gercken
5,251,352 A 10/1993 Cullison
5,546,625 A 8/1996 Mealey
5,615,445 A 4/1997 Kelsay

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | | | | |
|--------------|----|---|---------|-------------|-------|--------|
| D462,251 | S | * | 9/2002 | Collins | | D8/107 |
| D472,125 | S | * | 3/2003 | Hsu | | D8/1 |
| 6,530,098 | B1 | | 3/2003 | Gringer | | |
| 6,668,751 | B1 | | 12/2003 | Henke | | |
| D487,387 | S | * | 3/2004 | Chen | | D8/107 |
| D498,124 | S | * | 11/2004 | Mitchell | | D8/45 |
| D534,781 | S | | 1/2007 | Chen | | |
| D535,174 | S | | 1/2007 | Chen | | |
| D535,541 | S | * | 1/2007 | Holby | | D8/107 |
| D569,215 | S | | 5/2008 | Chiu | | |
| 7,434,318 | B2 | | 10/2008 | Perez | | |
| 7,587,778 | B2 | | 9/2009 | Rosso | | |
| D608,177 | S | * | 1/2010 | Perlman | | D8/107 |
| D612,702 | S | * | 3/2010 | Perlman | | D8/107 |
| D629,578 | S | * | 12/2010 | Molina | | D32/46 |
| 8,205,341 | B2 | | 6/2012 | Rosso | | |
| 8,844,087 | B2 | | 9/2014 | Henke | | |
| 8,844,410 | B2 | | 9/2014 | Henke | | |
| D719,433 | S | | 12/2014 | Cooper | | |
| D733,517 | S | * | 7/2015 | Constantine | | D8/107 |
| 2007/0074401 | A1 | | 4/2007 | Myers | | |
| 2009/0293200 | A1 | | 12/2009 | Rosso | | |
| 2010/0117262 | A1 | | 5/2010 | Gringer | | |
| 2012/0246946 | A1 | | 10/2012 | Kreitz | | |

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9