



US00D828908S

(12) **United States Design Patent** (10) **Patent No.:** **US D828,908 S**
Merki (45) **Date of Patent:** **** Sep. 18, 2018**

(54) **FAUCET**

(71) Applicant: **Duravit Aktiengesellschaft**, Homburg (DE)

(72) Inventor: **Kurt Edgar Kwame Merki**, Zürich (CH)

(73) Assignee: **DURAVIT AKTIENGESELLSCHAFT**, Hornberg (DE)

(**) Term: **15 Years**

(21) Appl. No.: **29/603,973**

(22) Filed: **May 15, 2017**

(30) **Foreign Application Priority Data**

Nov. 16, 2016 (WO) WO58422

(51) **LOC (11) Cl.** **23-01**

(52) **U.S. Cl.**
USPC **D23/238**

(58) **Field of Classification Search**
USPC D23/238-242, 249, 250, 252, 254-255,
D23/257; D8/350, 353

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D466,977 S * 12/2002 Cummings D23/238
D613,374 S * 4/2010 Lammel D23/238

(Continued)

Primary Examiner — Robert A Delehanty

(74) *Attorney, Agent, or Firm* — Florek & Endres PLLC

(57) **CLAIM**

I claim the ornamental design for a faucet, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the faucet of the present invention.

FIG. 2 is a left side elevation of the faucet of the present invention.

FIG. 3 is a right side elevation of the faucet of the present invention.

FIG. 4 is a front elevation of the faucet of the present invention.

FIG. 5 is a rear elevation of the faucet of the present invention.

FIG. 6 is a top view of the faucet of the present invention.

FIG. 7 is a bottom view of the faucet of the present invention.

FIG. 8 is a perspective view of an embodiment of the faucet of the present invention.

FIG. 9 is a left side elevation of the faucet of FIG. 8.

FIG. 10 is a right side elevation of the faucet of FIG. 8.

FIG. 11 is a front elevation of the faucet of FIG. 8.

FIG. 12 is a rear elevation of the faucet of FIG. 8.

FIG. 13 is a top view of the faucet of FIG. 8.

FIG. 14 is a bottom view of the faucet of FIG. 8.

FIG. 15 is a perspective view of an embodiment of the faucet of FIG. 8 with a stopcock.

FIG. 16 is a left side elevation of the faucet of FIG. 15.

FIG. 17 is a right side elevation of the faucet of FIG. 15.

FIG. 18 is a front elevation of the faucet of FIG. 15.

FIG. 19 is a rear elevation of the faucet of FIG. 15.

FIG. 20 is a top view of the faucet of FIG. 15.

FIG. 21 is a bottom view of the faucet of FIG. 15.

FIG. 22 is a perspective view of an alternative embodiment of the faucet of the present invention.

FIG. 23 is a left side elevation of the faucet of FIG. 22.

FIG. 24 is a right side elevation of the faucet of FIG. 22.

FIG. 25 is a front elevation of the faucet of FIG. 22.

FIG. 26 is a rear elevation of the faucet of FIG. 22.

FIG. 27 is a top view of the faucet of FIG. 22.

FIG. 28 is a bottom view of the faucet of FIG. 22.

FIG. 29 is a perspective view of an embodiment of the faucet of FIG. 22 with a stopcock.

FIG. 30 is a left side elevation of the faucet of FIG. 29.

FIG. 31 is a right side elevation of the faucet of FIG. 29.

FIG. 32 is a front elevation of the faucet of FIG. 29.

FIG. 33 is a rear elevation of the faucet of FIG. 29.

FIG. 34 is a top view of the faucet of FIG. 29.

FIG. 35 is a bottom view of the faucet of FIG. 29.

(Continued)




FIG. 36 is a perspective view of another alternative embodiment of the faucet of the present invention.
 FIG. 37 is a left side elevation of the faucet of FIG. 36.
 FIG. 38 is a right side elevation of the faucet of FIG. 36.
 FIG. 39 is a front elevation of the faucet of FIG. 36.
 FIG. 40 is a rear elevation of the faucet of FIG. 36.
 FIG. 41 is a top view of the faucet of FIG. 36.
 FIG. 42 is a bottom view of the faucet of FIG. 36.
 FIG. 43 is a perspective view of an embodiment of the faucet of FIG. 36 with a stopcock.
 FIG. 44 is a left side elevation of the faucet of FIG. 43.
 FIG. 45 is a right side elevation of the faucet of FIG. 43.
 FIG. 46 is a front elevation of the faucet of FIG. 43.
 FIG. 47 is a rear elevation of the faucet of FIG. 43.
 FIG. 48 is a top view of the faucet of FIG. 43.
 FIG. 49 is a bottom view of the faucet of FIG. 43.
 FIG. 50 is a perspective view of another alternative embodiment of the faucet of the present invention.
 FIG. 51 is a left side elevation of the faucet of FIG. 50.
 FIG. 52 is a right side elevation of the faucet of FIG. 50.
 FIG. 53 is a front elevation of the faucet of FIG. 50.
 FIG. 54 is a rear elevation of the faucet of FIG. 50.
 FIG. 55 is a top view of the faucet of FIG. 50.
 FIG. 56 is a bottom view of the faucet of FIG. 50.
 FIG. 57 is a perspective view of an embodiment of the faucet of FIG. 50 with a stopcock.
 FIG. 58 is a left side elevation of the faucet of FIG. 57.
 FIG. 59 is a right side elevation of the faucet of FIG. 57.

FIG. 60 is a front elevation of the faucet of FIG. 57.
 FIG. 61 is a rear elevation of the faucet of FIG. 57.
 FIG. 62 is a top view of the faucet of FIG. 57; and,
 FIG. 63 is a bottom view of the faucet of FIG. 57.
 It is believed that the embodiments shown in FIGS. 8-63 describe a single patentable design, as shown in FIGS. 1-7. The broken line showing of a stopcock in FIGS. 1-3 and 5-7 is for the purpose of illustration only and forms no part of the claimed design.
 The claim is shown with a symbolic break in its length. The appearance of any portion of the article between the break lines forms no part of the claimed design.

1 Claim, 36 Drawing Sheets

(58) **Field of Classification Search**
 CPC Y10T 137/9464
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D674,055	S	*	1/2013	Lord	D23/252
D767,724	S	*	9/2016	Flowers	D23/238
D771,224	S	*	11/2016	Flowers	D23/238
D788,270	S	*	5/2017	Hong	D23/252

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48




FIG. 49




FIG. 50




FIG. 51




FIG. 52




FIG. 53




FIG. 54




FIG. 55




FIG. 56




FIG. 57




FIG. 58




FIG. 59




FIG. 60




FIG. 61




FIG. 62




FIG. 63