



US00D828976S

(12) **United States Design Patent** (10) **Patent No.:** **US D828,976 S**
Harrison (45) **Date of Patent:** **** Sep. 25, 2018**

(54) **NECKTIE**

(71) Applicant: **Michael Harrison**, Lake Charles, LA (US)

(72) Inventor: **Michael Harrison**, Lake Charles, LA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/563,228**

(22) Filed: **May 3, 2016**

(51) **LOC (11) Cl.** **02-05**

(52) **U.S. Cl.**
USPC **D2/605**

(58) **Field of Classification Search**
USPC D2/500, 600, 602, 604, 605, 608
CPC A41D 25/00; A41D 25/001; A41D 25/06
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 335,071 A * 1/1886 Heath A41D 25/001
2/146
- 1,178,033 A * 4/1916 Spelling A41D 25/02
2/150
- D156,539 S * 12/1949 Klein D2/608
- D166,404 S * 4/1952 Melville D2/605
- D170,487 S * 9/1953 de Vescoui Whitman D2/608
- 3,068,486 A * 12/1962 Gleeson A41B 3/06
2/103
- 3,191,822 A * 6/1965 Gipperth A41D 25/16
223/82
- 3,225,358 A * 12/1965 Less A41D 25/00
2/150
- 3,880,334 A * 4/1975 Haas A41D 25/00
223/82
- 3,881,196 A * 5/1975 Spada A41D 25/00
2/152.1
- D299,383 S * 1/1989 Rosenbaum D2/605
- D327,771 S * 7/1992 Young D2/602

- D346,270 S * 4/1994 Just D2/608
- D374,757 S * 10/1996 Nevitt D2/605
- D396,540 S * 8/1998 She D2/605
- D432,757 S 10/2000 Yoon
- 6,243,874 B1 * 6/2001 Yoon A41D 25/00
2/144
- D490,213 S * 5/2004 Osuagwu D2/602
- D513,826 S * 1/2006 Jessen D2/605
- D550,928 S * 9/2007 Brown D2/600
- D616,179 S * 5/2010 Serpa D2/605
- D653,018 S * 1/2012 Webbe D2/602

(Continued)

FOREIGN PATENT DOCUMENTS

- CN 201130007116 * 10/2011
- CN 201130007223 * 10/2011

(Continued)

Primary Examiner — Karen E Eldridge Powers
Assistant Examiner — Jasmine Mlinarcik
(74) *Attorney, Agent, or Firm* — R. Keith Harrison


(57) **CLAIM**

A necktie, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the necktie, showing how it may appear when worn;
FIG. 2 is a front perspective view of the necktie;
FIG. 3 is a front elevation view of the necktie, showing how it may appear when not being worn;
FIG. 4 is a rear elevation view of the necktie;
FIG. 5 is a right side elevation view of the necktie;
FIG. 6 is a left side elevation view of the necktie;
FIG. 7 is a bottom plan view of the necktie; and,
FIG. 8 is a top plan view of the necktie.
FIG. 1 includes broken line depictions of a wearer wearing a necktie, which wearer forms no part of the claimed invention.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D692,207 S * 10/2013 Khan D2/605
D693,538 S * 11/2013 Katz D2/605
D747,842 S * 1/2016 Bressler D2/605
2015/0135400 A1* 5/2015 Lopez Perez A41D 25/005
2/144
2016/0262471 A1* 9/2016 Robertson A41D 25/04

FOREIGN PATENT DOCUMENTS

CN 201130007249 * 10/2011
CN 201130007254 * 10/2011
CN 201130007256 * 10/2011
CN 201130007268 * 10/2011
CN 201130007270 * 10/2011
CN 201130007074 * 2/2012
CN 201130007090 * 2/2012
CN 201130007259 * 2/2012
CN 201130007262 * 2/2012
CN 201130007265 * 2/2012

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6



FIG. 7




FIG. 8