



US00D829107S

(12) **United States Design Patent** (10) **Patent No.:** **US D829,107 S**  
**Carr et al.** (45) **Date of Patent:** **\*\* Sep. 25, 2018**

(54) **PRODUCT PACKAGE FOR ABSORBENT ARTICLES**

(71) Applicant: **The Procter & Gamble Company**, Cincinnati, OH (US)

(72) Inventors: **Stevi Lee Carr**, Cincinnati, OH (US); **Brenda Marie Mahan**, Liberty Township, OH (US)

(73) Assignee: **The Procter & Gamble Company**, Cincinnati, OH (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/592,540**

(22) Filed: **Jan. 31, 2017**

(51) **LOC (11) Cl.** ..... **09-01**

(52) **U.S. Cl.**  
USPC ..... **D9/661**; D9/635; D9/434

(58) **Field of Classification Search**  
USPC ..... D3/270, 271.1–271.4; D7/510, 514–520, D7/599, 604, 613, 619.2, 623, 628;  
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D103,786 S \* 3/1937 Medoff ..... D9/635  
D133,714 S \* 9/1942 Medoff ..... D9/635  
(Continued)

*Primary Examiner* — Sandra L Morris

(74) *Attorney, Agent, or Firm* — George H. Leal; Dara M. Kendall

(57) **CLAIM**

The ornamental design for a product package for absorbent articles, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a first embodiment of a product package for absorbent articles;

FIG. 2 is a front view of the embodiment of the package shown in FIG. 1;

FIG. 3 is a left side view of the embodiment of the package shown in FIG. 1;

FIG. 4 is a rear view of the embodiment of the package shown in FIG. 1;

FIG. 5 is a right side view of the embodiment of the package shown in FIG. 1;

FIG. 6 is a bottom view of the embodiment of the package shown in FIG. 1;

FIG. 7 is a top view of the embodiment of the package shown in FIG. 1;

FIG. 8 is a perspective view of a second embodiment of a product package for absorbent articles;

FIG. 9 is a front view of the embodiment of the package shown in FIG. 8;

FIG. 10 is a left side view of the embodiment of the package shown in FIG. 8;

FIG. 11 is a rear view of the embodiment of the package shown in FIG. 8;

FIG. 12 is a right side view of the embodiment of the package shown in FIG. 8;

FIG. 13 is a bottom view of the embodiment of the package shown in FIG. 8;

FIG. 14 is a top view of the embodiment of the package shown in FIG. 8;

FIG. 15 is a perspective view of a third embodiment of a product package for absorbent articles;

FIG. 16 is a front view of the embodiment of the package shown in FIG. 15;

FIG. 17 is a left side view of the embodiment of the package shown in FIG. 15;

FIG. 18 is a rear view of the embodiment of the package shown in FIG. 15;

FIG. 19 is a right side view of the embodiment of the package shown in FIG. 15;

FIG. 20 is a bottom view of the embodiment of the package shown in FIG. 15;

FIG. 21 is a top view of the embodiment of the package shown in FIG. 15;

FIG. 22 is a perspective view of a fourth embodiment of a product package for absorbent articles;

(Continued)




FIG. 23 is a front view of the embodiment of the package shown in FIG. 22;

FIG. 24 is a left side view of the embodiment of the package shown in FIG. 22;

FIG. 25 is a rear view of the embodiment of the package shown in FIG. 22;

FIG. 26 is a right side view of the embodiment of the package shown in FIG. 22;

FIG. 27 is a bottom view of the embodiment of the package shown in FIG. 22; and,

FIG. 28 is a top view of the embodiment of the package shown in FIG. 22.

Broken lines are included for the purpose of illustrating environment and form no part of the claimed design.

**1 Claim, 28 Drawing Sheets**

**(58) Field of Classification Search**

USPC ..... D9/600, 614, 621-628, 655-663,  
D9/414-434, 635; 206/457, 459.5, 527;  
215/381-384, 400; 229/116.1

CPC .... B65D 5/4258; B65D 81/60; B65D 81/365;  
B65D 81/366; B65D 81/368; B65D  
2203/00; B65D 2203/02; B65D 67/00;  
A63H 81/16

See application file for complete search history.

(56)

**References Cited**

U.S. PATENT DOCUMENTS

D413,062	S *	8/1999	Nakano .....	D9/663
D414,408	S *	9/1999	Nakano .....	D9/663
D467,167	S *	12/2002	King .....	D9/635
7,172,073	B2 *	2/2007	Hanson .....	B65D 5/4216 206/440
D614,026	S *	4/2010	Lince .....	D9/434
D686,505	S *	7/2013	Uemura .....	D9/432
8,657,114	B2 *	2/2014	Oates .....	B65D 75/52 206/459.5
D744,333	S *	12/2015	Hood .....	D9/434
D764,913	S *	8/2016	Hood .....	D9/434
D765,507	S *	9/2016	Hood .....	D9/434
D767,984	S *	10/2016	Riffle Roper .....	D9/414
D768,480	S *	10/2016	Hood .....	D9/434
D772,061	S *	11/2016	O'Dowd .....	D9/432

\* cited by examiner






FIG. 1






FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6





FIG. 7




FIG. 8




FIG. 9






FIG. 10




FIG. 11




FIG. 12





FIG. 13



FIG. 14






FIG. 15






FIG. 16






FIG. 17




FIG. 18






FIG. 19



FIG. 20



FIG. 21




FIG. 22






FIG. 23




FIG. 24




FIG. 25





FIG. 26



FIG. 27



FIG. 28