



US00D829246S

(12) **United States Design Patent** (10) **Patent No.:** **US D829,246 S**
Ammerman et al. (45) **Date of Patent:** **** Sep. 25, 2018**

(54) **REFRIGERATOR INTERIOR WITH MULTI-COLOR**

(71) Applicant: **Whirlpool Corporation**, Benton Harbor, MI (US)

(72) Inventors: **Jason Ammerman**, Chicago, IL (US); **Zachary A. Lownds**, St. Joseph, MI (US); **Jessica McConnell**, St. Joseph, MI (US); **Michael S. Seeley**, South Haven, MI (US); **Jason W. Tippetts**, Stevensville, MI (US)

(73) Assignee: **Whirlpool Corporation**, Benton Harbor, MI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/559,659**

(22) Filed: **Mar. 30, 2016**

(51) **LOC (11) Cl.** **15-07**

(52) **U.S. Cl.**
USPC **D15/89**

(58) **Field of Classification Search**
USPC D15/79-91

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D508,249 S 8/2005 Seok et al.
D511,177 S 11/2005 Jackovin et al.

(Continued)

Primary Examiner — Ian Simmons

Assistant Examiner — Khawaja Anwar

(74) *Attorney, Agent, or Firm* — Price Heneveld LLP

(57) **CLAIM**

The ornamental design for a refrigerator interior with multi-color, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a refrigerator interior with multi-color according to a first embodiment of our

design in a closed configuration, a second embodiment in the closed configuration being a mirror image thereof;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a back elevational view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is a front perspective view of a refrigerator interior with multi-color according to the first embodiment of our design in an open configuration, the second embodiment in an open configuration being a mirror image of the first embodiment in the open configuration;

FIG. 9 is a front elevational view thereof;

FIG. 10 is a back elevational view thereof;

FIG. 11 is a left side view thereof;

FIG. 12 is a right side view thereof;

FIG. 13 is a top view thereof;

FIG. 14 is a bottom view thereof;

FIG. 15 is a top-front perspective, cross-section reference view of the refrigerator interior with multi-color according to the first embodiment of our design in the open configuration taken along line 15, 16, 17 in FIG. 13;

FIG. 16 is a front perspective view thereof;

FIG. 17 is a left side view thereof; and,


FIG. 18 is a right-front perspective, cross-section reference view of the refrigerator interior with multi-color according to the first embodiment of our design in the open configuration taken along line 18 in FIG. 13.

The broken line showing of various features is for the purpose of illustrating unclaimed portions of the refrigerator interior with multi-color and forms no part of the claimed design.

Dash-dot lines adjacent un-shaded areas represent bounds of the claimed design and form no part of the claimed design themselves.

The comparatively dark stipple fill is used to indicate a charcoal gray color having the following color characteristics according to the CIELAB system:

(Continued)



L:	25 to 45
a:	0 to -2
b:	0 to -2.

2323/00272; F25D 2400/361; F25D
2500/06; F25D 2700/02; F25D 2700/12;
F25D 29/005; F25D 29/008; F25D
31/002

See application file for complete search history.

The comparatively lighter stipple fill along the front edges of the shelves and the drawer pulls illustrated within the refrigerator interior represents a non-polished metallic light grey color, the color having the following range of color characteristics according to the H-S-V notation system:

H:	60 to 250
S:	0-10
V:	70-90.

The comparatively lighter stipple fill with diagonal shading along the upper edges of the door represents a polished metallic light grey color, the color having the following range of color characteristics according to the H-S-V notation system:

H:	0 to 70 and 230 to 360
S:	0-10
V:	70-90.

1 Claim, 17 Drawing Sheets

(58) **Field of Classification Search**

CPC F25D 29/00; F25D 11/003; F25D 2700/08;
F25D 11/02; F25D 11/022; F25D 13/06;
F25D 19/006; F25D 2201/14; F25D
2323/00261; F25D 2323/00262; F25D

(56)

References Cited

U.S. PATENT DOCUMENTS

D511,179 S	11/2005	Tunzi	
D518,832 S	4/2006	Park et al.	
D616,001 S	5/2010	Yang et al.	
D629,819 S	12/2010	Placke et al.	
D639,315 S	6/2011	Yang et al.	
D647,927 S	11/2011	Lee et al.	
D654,515 S	2/2012	Hwang et al.	
D655,321 S	3/2012	Lee et al.	
D658,214 S	4/2012	Seo et al.	
D668,696 S	10/2012	Seo et al.	
D671,151 S	11/2012	Seo et al.	
D671,572 S	11/2012	Seo et al.	
D674,417 S	1/2013	Seo et al.	
D685,010 S	6/2013	Seo et al.	
D707,735 S	6/2014	Cho et al.	
D710,401 S	8/2014	Ringemann et al.	
D710,402 S	8/2014	Jeon et al.	
D716,851 S	11/2014	Seo et al.	
D718,346 S	11/2014	Cho et al.	
D718,349 S	11/2014	Cho et al.	
D743,453 S *	11/2015	McConnell	D15/89
D748,164 S *	1/2016	McConnell	D15/89
D748,691 S *	2/2016	McConnell	D15/89
D748,693 S *	2/2016	McConnell	D15/89
D749,652 S *	2/2016	McConnell	D15/89
D755,260 S *	5/2016	McConnell	D15/89
D761,335 S *	7/2016	McConnell	D15/89
D761,885 S *	7/2016	McConnell	D15/89
D773,539 S *	12/2016	Kim	D15/86
D778,965 S *	2/2017	Kim	D15/91
D797,820 S *	9/2017	Kim	D15/86

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18