



US00D829522S

(12) **United States Design Patent**
Noriyuki

(10) **Patent No.:** **US D829,522 S**

(45) **Date of Patent:** **** Oct. 2, 2018**

- (54) **SCISSORS**
- (71) Applicant: **CAPELITO CORPORATION**,
Hyogo-Pref (JP)
- (72) Inventor: **Tsujii Noriyuki**, Hyogo-pref (JP)
- (**) Term: **15 Years**
- (21) Appl. No.: **35/503,086**
- (22) Filed: **Nov. 29, 2016**
- (80) **Hague Agreement Data**
Int. Filing Date: **Nov. 29, 2016**
Int. Reg. No.: **DM/093834**
Int. Reg. Date: **Nov. 29, 2016**
Int. Reg. Pub. Date: **Jun. 2, 2017**
- (51) **LOC (11) Cl.** **08-03**
- (52) **U.S. Cl.**
USPC **D8/57**
- (58) **Field of Classification Search**
USPC D8/57
CPC B26B 13/24; B26B 13/08
See application file for complete search history.

- (56) **References Cited**
U.S. PATENT DOCUMENTS
595,470 A * 12/1897 Goldner A45D 24/36
132/132
1,430,512 A * 9/1922 Langlais B26B 13/24
30/233.5
1,639,617 A * 8/1927 Seavey B26B 13/24
132/139
1,806,486 A * 5/1931 Mirafuentes B26B 13/24
30/233.5
2,558,264 A * 6/1951 Metcalf B26B 13/24
30/195
2,591,014 A * 4/1952 Sansom B26B 13/08
30/195

- 3,257,723 A * 6/1966 Cercone B26B 13/08
30/195
- 3,831,277 A * 8/1974 Nagata B26B 13/08
30/195
- 4,170,064 A * 10/1979 Senk B26B 13/24
30/195
- D282,140 S * 1/1986 Nalbandyan D8/5
- 4,660,285 A * 4/1987 Pracht B26B 13/24
30/195
- D314,248 S * 1/1991 Jokinen D28/25
- 5,107,591 A * 4/1992 Sato B26B 13/24
30/195
- D333,764 S * 3/1993 Osvaldo D8/57
- D382,785 S * 8/1997 Kobayashi D8/57
- D429,982 S * 8/2000 Kamrath D8/57
- 6,385,851 B2 * 5/2002 Yeh B26B 13/08
30/195
- D526,880 S * 8/2006 Ferman D8/107
- D537,312 S * 2/2007 Nenadich D8/57
- D538,612 S * 3/2007 Nenadich D8/57
- D602,754 S * 10/2009 Bellisario D8/57
- D611,792 S * 3/2010 Bellisario D8/57
- D612,696 S * 3/2010 Iwase D8/57
- 7,954,245 B2 * 6/2011 Chen B26B 13/08
30/195
- D786,634 S * 5/2017 Keating D8/5

(Continued)

Primary Examiner — Robert M. Spear


(57) **CLAIM**

The ornamental design for scissors, as shown and described.

DESCRIPTION

1. Scissors
This scissors is a hairdressing scissors comprising a comb shaped cutting blade and a rod shaped cutting blade; the comb shaped cutting blade is longer than the rod shaped cutting blade; also, the tip of the comb shaped cutting blade is chamfered roundly; **1.1** front; **1.2** back; **1.3** left; **1.4** right; **1.5** top; **1.6** bottom; the parts shown by means of red color in the reproductions are not part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)


References Cited

U.S. PATENT DOCUMENTS


D815,505 S * 4/2018 Usman D8/57
2001/0029672 A1 * 10/2001 Yeh B26B 13/08
30/195
2010/0107420 A1 * 5/2010 Makoto B26B 13/08
30/201
2011/0247219 A1 * 10/2011 Wu B26B 13/08
30/195
2011/0302790 A1 * 12/2011 Venzon B26B 13/22
30/233.5
2017/0106545 A1 * 4/2017 Liao B26B 13/08

* cited by examiner


1.1




1.2




1.3



1.4



1.5



1.6

